ProQuest: 360 Core: E-Journal Portal Accessibility Conformance Report

VPAT® Version 2.3 (Revised) – April 2019

Name of Product/Version:	360 Services E-Journal Portal
Product Description:	E-Journal Portal includes an A-to-Z Title List, title searching and subject browsing of e-Journals and e-
	Books. The webpage interface is fully localized, customizable, and updated daily.
	About 360 Core
	https://www.proquest.com/products-services/360-Core.html
Report Date:	January, 2020
Contact information:	email.technicalsupport@proquest.com
Notes:	
Evaluation Methods Used:	Color Contrast Analyzer
	Deque aXe accessibility testing tool
	High Contrast Chrome extension
	Keyboard-access manual testing and assessment
	NVDA (NonVisual Desktop Access) screen-reader utility
	WebAim's WAVE (Web Accessibility Evaluation tool)

Applicable Standards/Guidelines

This report covers the degree of conformance for the following accessibility standard/guidelines:

Standard/Guideline	Included In Report
Web Content Accessibility Guidelines 2.0	Level A (Yes)
	Level AA (Yes)
	Level AAA (No)
Web Content Accessibility Guidelines 2.1	Level A (Yes)
	Level AA (Yes)
	Level AAA (Yes)
Revised Section 508 standards published January 18, 2017 and corrected January 22, 2018	(Yes)
EN 301 549 Accessibility requirements suitable for public procurement of ICT	(No)
products and services in Europe, - V2.1.2 (2018-08)	(NO)

Terms

The terms used in the Conformance Level information are defined as follows:

- **Supports**: The functionality of the product has at least one method that meets the criterion without known defects or meets with equivalent facilitation.
- Partially Supports: Some functionality of the product does not meet the criterion.
- **Does Not Support**: The majority of product functionality does not meet the criterion.
- Not Applicable: The criterion is not relevant to the product.

WCAG 2.1 Report

Tables 1 and 2 also document conformance with:

- EN 301 549: Chapter 9 Web, Sections 10.1-10.4 of Chapter 10 Non-Web documents, and Sections 11.1-11.4 and 11.8.2 of Chapter 11 Non-Web Software (open and closed functionality), and Sections 12.1.2 and 12.2.4 of Chapter 12 Documentation
- Revised Section 508: Chapter 5 501.1 Scope, 504.2 Content Creation or Editing, and Chapter 6 602.3 Electronic Support Documentation.

Note: When reporting on conformance with the WCAG 2.x Success Criteria, they are scoped for full pages, complete processes, and accessibility-supported ways of using technology as documented in the <u>WCAG 2.0 Conformance Requirements</u>.

Table 1: Success Criteria, Level A

Criteria	Conformance Level	Remarks and Explanations
1.1.1 Non-text Content (Level A) Also applies to: EN 301 549 Criteria • 9.1.1.1 (Web) • 10.1.1.1 (Non-web document) • 11.1.1.1.1 (Open Functionality Software) • 11.8.2 (Closed Functionality Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) Revised Section 508 • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs)	Partially Supports	Software is designed to support alternative access to non-text content wherever possible. Images used to represent functionality or actions have associated text labels (or alt /title text if a text label is not appropriate). Decorative images have blank alt text, so they will be ignored by assistive technology. Exceptions Banner link (image ExLibris) is not labelled Radio button group (All/Journals Only/Books Only) lacks descriptive label about search Search dropdown (Title begins with) lacks label Show more search options > Search By DOI input fields lacks label Compliance of this standard was validated screener and code inspection
1.2.1 Audio-only and Video-only (Prerecorded) Also applies to: EN 301 549 Criteria 9.1.2.1 (Web) 10.1.2.1 (Non-web document) 11.1.2.1.1 (Open Functionality Software) 11.1.2.1.2.1 and 11.1.2.1.2.2 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs)	Not Applicable	There are no audio or video captions

Criteria	Conformance Level	Remarks and Explanations
1.2.2 Captions (Prerecorded) (Level A) Also applies to:		
EN 301 549 Criteria • 9.1.2.2 (Web)		
• 10.1.2.2 (Non-web document)		
• 11.1.2.2 (Open Functionality Software)		
• 11.1.2.2 (Closed Software)	Not Applicable	There are no audio or video captions
11.8.2 (Authoring Tool)12.1.2 (Product Docs)		
• 12.2.4 (Support Docs)		
Revised Section 508		
• 501 (Web)(Software)		
• 504.2 (Authoring Tool)		
• 602.3 (Support Docs)		
1.2.3 Audio Description or Media Alternative (Prerecorded) (Level		
A) Also applies to:		
EN 301 549 Criteria		
• 9.1.2.3 (Web)		
 10.1.2.3 (Non-web document) 		
• 11.1.2.3.1 (Open Functionality Software)		
• 11.1.2.3.2 (Closed Software)	Not Applicable	There are no audio or video captions
• 11.8.2 (Authoring Tool)		
• 12.1.2 (Product Docs)		
• 12.2.4 (Support Docs) Revised Section 508		
• 501 (Web)(Software)		
• 504.2 (Authoring Tool)		
• 602.3 (Support Docs)		

Criteria	Conformance Level	Remarks and Explanations
1.3.1 Info and Relationships (Level A) Also applies to: EN 301 549 Criteria 9.1.3.1 (Web) 10.1.3.1 (Non-web document) 11.1.3.1.1 (Open Functionality Software) 11.1.3.1.2 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs)	Partially Supports	The site employs the following to support this: • labels/ids with form elements • markup for lists & headings • CSS to control the visual presentation of text • Correct use of semantic markup (bold, italics, etc.) Exceptions Browse by letter group lacks sufficient labeling Results pagination group lacks sufficient labeling Refine results group lacks sufficient labeling Compliance of this standard was validated by WAVE (web accessibility evaluation tool) provided by WebAIM, manual visual checks, screen reader, and code inspection
1.3.2 Meaningful Sequence (Level A) Also applies to: EN 301 549 Criteria 9.1.3.2 (Web) 10.1.3.2 (Non-web document) 11.1.3.2.1 (Open Functionality Software) 11.1.3.2.2 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs)	Supports	Compliance of this standard was validated using a combination of screen readers (see list in the Notes above) and manual keyboard and visual checks.

Criteria	Conformance Level	Remarks and Explanations
1.3.3 Sensory Characteristics (Level A) Also applies to: EN 301 549 Criteria 9.1.3.3 (Web) 10.1.3.3 (Non-web document) 11.1.3.3 (Open Functionality Software) 11.1.3.3 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs)	Supports	Instructions provided do not rely solely on sensory characteristics of components such as shape, size, visual location, orientation, or sound. Typically, descriptive text and labels are used. Compliance of this standard was validated using manual visual checks.
1.4.1 Use of Color (Level A) Also applies to: EN 301 549 Criteria 9.1.4.1 (Web) 10.1.4.1 (Non-web document) 11.1.4.1 (Open Functionality Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs)	I .	Color is used to enhance usability by drawing attention to certain areas of the screen. Color is never the only means of conveying information, indicating an action, prompting a response, or distinguishing a visual element. Compliance of this standard was validated using manual visual checks and WAVE.

Criteria	Conformance Level	Remarks and Explanations
1.4.2 Audio Control (Level A)		
Also applies to:		
EN 301 549 Criteria		
• 9.1.4.2 (Web)		
• 10.1.4.2 (Non-web document)		
• 11.1.4.2 (Open Functionality Software)		
• 11.1.4.2 (Closed Software)	Not Applicable	There is no audio content
• 11.8.2 (Authoring Tool)	Not Applicable	
• 12.1.2 (Product Docs)		
• 12.2.4 (Support Docs)		
Revised Section 508		
• 501 (Web)(Software)		
• 504.2 (Authoring Tool)		
602.3 (Support Docs)		
2.1.1 Keyboard (Level A)		
Also applies to:		
EN 301 549 Criteria		
• 9.2.1.1 (Web)		
• 10.2.1.1 (Non-web document)		This product is designed for keyboard access. Product
	Supports	functionality is available and executable from a
• 11.2.1.1.2 (Closed Software)		keyboard.
• 11.8.2 (Authoring Tool)		Compliance of this standard was validated using manual
• 12.1.2 (Product Docs)		keyboard checks.
• 12.2.4 (Support Docs)		
Revised Section 508		
• 501 (Web)(Software)		
• 504.2 (Authoring Tool)		
• 602.3 (Support Docs)		

Criteria	Conformance Level	Remarks and Explanations
2.1.2 No Keyboard Trap (Level A)		
Also applies to:		
EN 301 549 Criteria		
• 9.2.1.2 (Web)		
 10.2.1.2 (Non-web document) 		
 11.2.1.2 (Open Functionality Software) 		Focus can be moved to and away from components
• 11.2.1.2 (Closed Software)	Cumporto	using only a keyboard.
• 11.8.2 (Authoring Tool)	Supports	Compliance of this standard was validated using manual
• 12.1.2 (Product Docs)		keyboard checks.
• 12.2.4 (Support Docs)		
Revised Section 508		
• 501 (Web)(Software)		
 504.2 (Authoring Tool) 		
602.3 (Support Docs)		
2.1.4 Character Key Shortcuts (Level A 2.1 only)		
Also applies to:		
EN 301 549 Criteria		
• 9.2.1.4 (Web)		
• 10.2.1.4 (Non-web document)	Not Applicable	
• 11.2.1.4.1 (Open Functionality Software)	Not Applicable	This site does not contain any keyboard shortcuts
• 11.2.1.4.2 (Closed Software)		
• 11.8.2 (Authoring Tool)		
• 12.1.2 (Product Docs)		
• 12.2.4 (Support Docs)		
Revised Section 508 – Does not apply		

Criteria	Conformance Level	Remarks and Explanations
2.2.1 Timing Adjustable (Level A) Also applies to: EN 301 549 Criteria 9.2.2.1 (Web) 10.2.2.1 (Non-web document) 11.2.2.1 (Open Functionality Software) 11.2.2.1 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs)	Not Applicable	This site does not require timed responses.
2.2.2 Pause, Stop, Hide (Level A) Also applies to: EN 301 549 Criteria 9.2.2.2 (Web) 10.2.2.2 (Non-web document) 11.2.2.2 (Open Functionality Software) 11.2.2.2 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs)	Not Applicable	There is no moving, blinking, scrolling, or auto-updating content on the site. Compliance of this standard was validated using manual visual checks.

Criteria	Conformance Level	Remarks and Explanations
2.3.1 Three Flashes or Below Threshold (Level A) Also applies to: EN 301 549 Criteria 9.2.3.1 (Web) 10.2.3.1 (Non-web document) 11.2.3.1 (Open Functionality Software) 11.2.3.1(Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs)	Not Applicable	There are no flashing or blinking elements in the user interface.
2.4.1 Bypass Blocks (Level A) Also applies to: EN 301 549 Criteria 9.2.4.1 (Web) 10.2.4.1 (Non-web document) – Does not apply 11.2.4.1 (Open Functionality Software) – Does not apply 11.2.4.1 (Closed Software) – Does not apply 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 501 (Web)(Software) – Does not apply to non-web software 504.2 (Authoring Tool) 602.3 (Support Docs) – Does not apply to non-web docs	Does Not Support	Verified using a keyboard and a screen reader Top navigation and search/filtering option cannot be skipped

Criteria	Conformance Level	Remarks and Explanations
2.4.2 Page Titled (Level A) Also applies to: EN 301 549 Criteria • 9.2.4.2 (Web) • 10.2.4.2 (Non-web document) • 11.2.4.2 (Open Functionality Software) - Does not apply • 11.2.4.2 (Closed Software) - Does not apply • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) Revised Section 508 • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs)	Does Not Support	Specific page titles are not provided. The titles are always "E-Resources" Compliance of this standard was validated using manual code inspection and screen reader.
2.4.3 Focus Order (Level A) Also applies to: EN 301 549 Criteria 9.2.4.3 (Web) 10.2.4.3 (Non-web document) 11.2.4.3 (Open Functionality Software) 11.2.4.3 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs)	Partially Supports	Page elements and functionality are placed in an order that follows the sequences and relationships in the content. Exceptions The next focus placement after "Search (by DOI)" button is placed on an invisible link doi.org, instead of into the alphabet group The next focus placement after Refine results group is placed on an invisible link Compliance of this standard was validated using manual keyboard checks.

Criteria	Conformance Level	Remarks and Explanations
2.4.4 Link Purpose (In Context) (Level A)		
Also applies to:		
EN 301 549 Criteria		
• 9.2.4.4 (Web)		Meaningful link text has been used throughout.
 10.2.4.4 (Non-web document) 		Compliance of this standard was validated using manual
 11.2.4.4 (Open Functionality Software) 		keyboard checks.
• 11.2.4.4 (Closed Software	Partially Supports	, and the second
• 11.8.2 (Authoring Tool)	Partially Supports	Exceptions
• 12.1.2 (Product Docs)		Result records links (e.g. Springer Books, Academic
• 12.2.4 (Support Docs)		search complete, Open Access Digital Library) lack
Revised Section 508		information about the record they apply to
• 501 (Web)(Software)		
• 504.2 (Authoring Tool)		
602.3 (Support Docs)		
2.5.1 Pointer Gestures (Level A 2.1 only)		
Also applies to:		
EN 301 549 Criteria		
• 9.2.5.1 (Web)	Not Applicable	This site does use multipoint or path-based
• 10.2.5.1 (Non-web document)		gestures for operation.
• 11.2.5.1 (Open Functionality Software)		
• 11.2.5.1 (Closed Software)		
• 11.8.2 (Authoring Tool)		
• 12.1.2 (Product Docs)		
• 12.2.4 (Support Docs)		
Revised Section 508 – Does not apply		

Criteria	Conformance Level	Remarks and Explanations
2.5.2 Pointer Cancellation (Level A 2.1 only) Also applies to: EN 301 549 Criteria • 9.2.5.2 (Web) • 10.2.5.2 (Non-web document) • 11.2.5.2 (Open Functionality Software) • 11.2.5.2 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs)	Supports	The down-event of the pointer is not used to execute any part of the function.
 12.2.4 (Support Docs) Revised Section 508 – Does not apply 2.5.3 Label in Name (Level A 2.1 only) 		
Also applies to: EN 301 549 Criteria 9.2.5.3 (Web) 10.2.5.3 (Non-web document) 11.2.5.3 (Open Functionality Software)	Partially Supports	For user interface components with labels that include text or images of text, the accessible name contains the text that is presented visually.
 11.2.5.3 (Open Functionality Software) 11.2.5.3 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 – Does not apply 		Exceptions Search by DOI or PubMed ID (PMID) Number text box label doesn't have accessible name.

Criteria	Conformance Level	Remarks and Explanations
2.5.4 Motion Actuation (Level A 2.1 only)		
Also applies to:		
EN 301 549 Criteria		
• 9.2.5.4 (Web)		
 10.2.5.4 (Non-web document) 		This site along wat as utain foundtionality that are he
 11.2.5.4 (Open Functionality Software) 	Not Applicable	This site does not contain functionality that can be
• 11.2.5.4 (Closed Software		operated by device motion or user motion.
• 11.8.2 (Authoring Tool)		
• 12.1.2 (Product Docs)		
• 12.2.4 (Support Docs)		
Revised Section 508 – Does not apply		
3.1.1 Language of Page (Level A)		
Also applies to:		
EN 301 549 Criteria		
• 9.3.1.1 (Web)		
 10.3.1.1 (Non-web document) 		Document lacks language attribute
 11.3.1.1.1 (Open Functionality Software) 	Does Not Support	Verified using browser code inspection
 11.3.1.1.2 (Closed Software) 		
• 11.8.2 (Authoring Tool)		
• 12.1.2 (Product Docs)		
• 12.2.4 (Support Docs)		
Revised Section 508		
• 501 (Web)(Software)		
• 504.2 (Authoring Tool)		
602.3 (Support Docs)		

Criteria	Conformance Level	Remarks and Explanations
3.2.1 On Focus (Level A)		
Also applies to:		
EN 301 549 Criteria		
• 9.3.2.1 (Web)		
• 10.3.2.1 (Non-web document)	Cumports	Context is not changed on focus alone.
• 11.3.2.1 (Open Functionality Software)	Supports	Compliance of this standard was validated using manual
• 11.3.2.1 (Closed Software)		keyboard checks.
• 11.8.2 (Authoring Tool)		
• 12.1.2 (Product Docs)		
• 12.2.4 (Support Docs)		
Revised Section 508		
• 501 (Web)(Software)		
• 504.2 (Authoring Tool)		
• 602.3 (Support Docs)		
3.2.2 On Input (Level A)		
Also applies to:		
EN 301 549 Criteria		
• 9.3.2.2 (Web)		
• 10.3.2.2 (Non-web document)	Supports	Context is not changed on focus alone.
• 11.3.2.2 (Open Functionality Software)		Compliance of this standard was validated using manual
• 11.3.2.2 (Closed Software)		visual and keyboard checks.
• 11.8.2 (Authoring Tool)		
• 12.1.2 (Product Docs)		
• 12.2.4 (Support Docs)		
Revised Section 508		
• 501 (Web)(Software)		
• 504.2 (Authoring Tool)		
• 602.3 (Support Docs)		

Criteria	Conformance Level	Remarks and Explanations
3.3.1 Error Identification (Level A)		
Also applies to:		
EN 301 549 Criteria		
• 9.3.3.1 (Web)		Error information is displayed but is not announced
 10.3.3.1 (Non-web document) 		Exceptions
• 11.3.3.1.1 (Open Functionality Software)	Partially Supports	Error message summary is displayed but invalid fields
• 11.3.3.1.2 (Closed Software)		are not semantically marked as invalid
• 11.8.2 (Authoring Tool)		Compliance of this standard was validated using manual
• 12.1.2 (Product Docs)		checks
• 12.2.4 (Support Docs)		
Revised Section 508		
• 501 (Web)(Software)		
• 504.2 (Authoring Tool)		
602.3 (Support Docs)		
3.3.2 Labels or Instructions (Level A)		
Also applies to:		
EN 301 549 Criteria		Exceptions
• 9.3.3.2 (Web)		·
• 10.3.3.2 (Non-web document)	Partially Supports	See 1.1.1 Non-text Content (Level A)
• 11.3.3.2 (Open Functionality Software)	a dictally supports	
• 11.3.3.2 (Closed Software)		Compliance of this standard was validated using
• 11.8.2 (Authoring Tool)		WAVE, developer tools, and screen reader.
• 12.1.2 (Product Docs)		
• 12.2.4 (Support Docs)		
Revised Section 508		
• 501 (Web)(Software)		
• 504.2 (Authoring Tool)		
602.3 (Support Docs)		

Criteria	Conformance Level	Remarks and Explanations
4.1.1 Parsing (Level A) Also applies to: EN 301 549 Criteria 9.4.1.1 (Web) 10.4.1.1 (Non-web document) 11.4.1.1.1 (Open Functionality Software) 11.4.1.1.2 (Closed Software) – Does not apply 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) Revised Section 508	Supports	Pages conform to HTML web standards. Compliance of this standard was validated using WAVE and developer tools.
 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) 4.1.2 Name, Role, Value (Level A) Also applies to: EN 301 549 Criteria 9.4.1.2 (Web) 		Pages conform to HTML web standards, so the name and role of all UI components can be determined. Compliance of this standard was validated using WAVE and manual visual checks. Exceptions
 10.4.1.2 (Non-web document) 11.4.1.2.1 (Open Functionality Software) 11.4.1.2.2 (Closed Software) – Not required 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 501 (Web)(Software) 	Partially Supports	Show more search options control lacks information about open/closed state Results record > Journal details lacks information about open/closed state Citations linker > Search options group lacks information about open/closed state
504.2 (Authoring Tool)602.3 (Support Docs)		

Table 2: Success Criteria, Level AA

Criteria	Conformance Level	Remarks and Explanations
1.2.4 Captions (Live) (Level AA)		
Also applies to:		
EN 301 549 Criteria		
• 9.1.2.4 (Web)		
 10.1.2.4 (Non-web document) 		The product does not contain live audio or video
 11.1.2.4 (Open Functionality Software) 	Not Applicable	content.
• 11.1.2.4 (Closed Software)	Not Applicable	Compliance of this standard was evaluated using
• 11.8.2 (Authoring Tool)		manual visual checks.
• 12.1.2 (Product Docs)		
• 12.2.4 (Support Docs)		
Revised Section 508		
• 501 (Web)(Software)		
• 504.2 (Authoring Tool)		
602.3 (Support Docs)		
1.2.5 Audio Description (Prerecorded) (Level AA)		
Also applies to:		
EN 301 549 Criteria		
• 9.1.2.5 (Web)		
• 10.1.2.5 (Non-web document)		The product does not contain video content.
• 11.1.2.5 (Open Functionality Software)	Not Applicable	Compliance of this standard was evaluated using
• 11.1.2.5 (Closed Software)		manual visual checks.
• 11.8.2 (Authoring Tool)		
• 12.1.2 (Product Docs)		
• 12.2.4 (Support Docs)		
Revised Section 508		
• 501 (Web)(Software)		
• 504.2 (Authoring Tool)		
• 602.3 (Support Docs)		

Criteria	Conformance Level	Remarks and Explanations
1.3.4 Orientation (Level AA 2.1 only)		
Also applies to:		
EN 301 549 Criteria		
• 9.1.3.4 (Web)		Content does not restrict its view and operation to a
 10.1.3.4 (Non-web document) 	Supports	single display orientation, such as portrait or landscape.
 11.1.3.4 (Open Functionality Software) 		
• 11.1.3.4 (Closed Software)		
 11.8.2 (Authoring Tool) 		
• 12.1.2 (Product Docs)		
• 12.2.4 (Support Docs)		
Revised Section 508 – Does not apply		
1.3.5 Identify Input Purpose (Level AA 2.1 only)		
Also applies to:		
EN 301 549 Criteria		Input fields are coded in a way that their purpose
• 9.1.3.5 (Web)	Partially Supports	can be programmatically determined
 10.1.3.5 (Non-web document) 		
 11.1.3.5 (Open Functionality Software) 		Exceptions
• 11.1.3.5 (Closed Software)		
• 11.8.2 (Authoring Tool)		Search by DOI or PubMed ID (PMID) Number text box
• 12.1.2 (Product Docs)		label doesn't have accessible name.
• 12.2.4 (Support Docs)		
Revised Section 508 – Does not apply		

Criteria	Conformance Level	Remarks and Explanations
1.4.3 Contrast (Minimum) (Level AA) Also applies to: EN 301 549 Criteria • 9.1.4.3 (Web) • 10.1.4.3 (Non-web document) • 11.1.4.3 (Open Functionality Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) Revised Section 508 • 501 (Web)(Software)	Partially Supports	Most elements meet level AA contrast minimum Exceptions Pagination control – "Previous" link has low contrast Results record – Title notes have low contrast Compliance of this standard was evaluated using WAVE plugin
 504.2 (Authoring Tool) 602.3 (Support Docs) 1.4.4 Resize text (Level AA) Also applies to: EN 301 549 Criteria 9.1.4.4 (Web) 10.1.4.4 (Non-web document) 11.1.4.4.1 (Open Functionality Software) 11.8.2 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) 	Supports	Text can be resized without assistive technology up to 200 percent without loss of content or functionality. Compliance of this standard has been evaluated using browser resize controls

Criteria	Conformance Level	Remarks and Explanations
1.4.5 Images of Text (Level AA)		
Also applies to:		
EN 301 549 Criteria		
• 9.1.4.5 (Web)		
 10.1.4.5 (Non-web document) 		The contract of the state of th
 11.1.4.5.1 (Open Functionality Software) 	Not Applicable	There are no images of text
 11.1.4.5.2 (Closed Software) – Does not apply 		
• 11.8.2 (Authoring Tool)		
• 12.1.2 (Product Docs)		
• 12.2.4 (Support Docs)		
Revised Section 508		
• 501 (Web)(Software)		
• 504.2 (Authoring Tool)		
602.3 (Support Docs)		
1.4.10 Reflow (Level AA 2.1 only)		
Also applies to:		
EN 301 549 Criteria		
• 9.1.4.10 (Web)		Contant can be presented without loss of
• 10.1.4.10 (Non-web document)		Content can be presented without loss of information or functionality, and without requiring
• 11.1.4.10.1 (Open Functionality Software)	Supports	scrolling in two dimensions at width equivalent to
• 11.1.4.10.2 (Closed Software)		320 CSS pixels and 256 CSS pixels.
• 11.8.2 (Authoring Tool)		
• 12.1.2 (Product Docs)		
• 12.2.4 (Support Docs)		
Revised Section 508 – Does not apply		

Conformance Level	Remarks and Explanations
Supports	User interface component and graphical object required to understand the content, UI components and states have contrast ration of at least 3:1 against adjacent color(s).
Supports	Content implemented using markup languages that support the following text style properties, no loss of content or functionality occurs by setting all of the following and by changing no other style property: Line height (line spacing) to at least 1.5 times the font size; Spacing following paragraphs to at least 2 times the font size; Letter spacing (tracking) to at least 0.12 times the font size; Word spacing to at least 0.16 times the font size Verified using text spacing favlet
	Supports

Criteria	Conformance Level	Remarks and Explanations
 10.1.4.13 (Non-web document) 11.1.4.13 (Open Functionality Software) 11.1.4.13 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 – Does not apply 	Partially Supports	Additional information displayed on hover of pagination is displayed inline and doesn't cover or replace any content. Exception Additional information for the pagination disappears when the pointer moves over the additional content.
2.4.5 Multiple Ways (Level AA) Also applies to: EN 301 549 Criteria 9.2.4.5 (Web) 10.2.4.5 (Non-web document) – Does not apply 11.2.4.5 (Open Functionality Software) – Does not apply 11.2.4.5 (Closed Software) – Does not apply 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 501 (Web)(Software) – Does not apply to non-web software 504.2 (Authoring Tool) 602.3 (Support Docs) – Does not apply to non-web docs	Does Not Supports	There is no sitemap Most pages have a single navigation path to them Compliance of this standard has been evaluated using manual and visual checks.

Criteria	Conformance Level	Remarks and Explanations
2.4.6 Headings and Labels (Level AA)		
Also applies to:		Descriptive headings and labels have been used
EN 301 549 Criteria		throughout the interface.
• 9.2.4.6 (Web)		
• 10.2.4.6 (Non-web document)	Partially Supports	Exceptions
• 11.2.4.6 (Open Functionality Software)	, , , , ,	
• 11.2.4.6 (Closed Software)		Result records titles lack semantic headings
• 11.8.2 (Authoring Tool)		Pages titles lack semantic headings
• 12.1.2 (Product Docs)		ages titles lack semantic neutrings
• 12.2.4 (Support Docs) Revised Section 508		Compliance of this standard was validated using WAVE
• 501 (Web)(Software)		and manual visual checks.
501 (Web)(Software)504.2 (Authoring Tool)		
• 602.3 (Support Docs)		
2.4.7 Focus Visible (Level AA)		
Also applies to:		
EN 301 549 Criteria		The site has been implemented to support the default
• 9.2.4.7 (Web)		focus indicator for the device being used.
• 10.2.4.7 (Non-web document)		In addition, most link text and other elements have been styled to change in visual appearance when the
• 11.2.4.7 (Open Functionality Software)	Supports	mouse hovers or tabs over them.
• 11.2.4.7 (Closed Software)		For instance, on mouse hover, links are underlined. On
• 11.8.2 (Authoring Tool)		tab focus, links are underlined and display
• 12.1.2 (Product Docs)		a blue outline. Form input fields display with a heavier
• 12.2.4 (Support Docs)		border on focus.
Revised Section 508		
• 501 (Web)(Software)		
• 504.2 (Authoring Tool)		
• 602.3 (Support Docs)		

Criteria	Conformance Level	Remarks and Explanations
3.1.2 Language of Parts (Level AA) Also applies to: EN 301 549 Criteria		
 9.3.1.2 (Web) 10.3.1.2 (Non-web document) 11.3.1.2 (Open Functionality Software) – Does not apply 11.3.1.2 (Closed Software) – Does not apply 11.8.2 (Authoring Tool) 	Does Not Support	In rare cases, the content may include text that is in a different language than the primary language of document. The site is not coded to identify changes to language in the content.
 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 501 (Web)(Software) 		
504.2 (Authoring Tool)602.3 (Support Docs)		
3.2.3 Consistent Navigation (Level AA) Also applies to:		
 EN 301 549 Criteria 9.3.2.3 (Web) 10.3.2.3 (Non-web document) – Does not apply 		
 11.3.2.3 (Open Functionality Software) – Does not apply 11.3.2.3 (Closed Software) – Does not apply 11.8.2 (Authoring Tool) 	Supports	The primary site navigation links appear in the same place and the same order on every page of the site. Compliance of this standard was validated using a combination of screen readers, manual keyboard and
12.1.2 (Product Docs)12.2.4 (Support Docs)Revised Section 508		visual checks.
 501 (Web)(Software) – Does not apply to non-web software 504.2 (Authoring Tool) 		
• 602.3 (Support Docs) – Does not apply to non-web docs		

Criteria	Conformance Level	Remarks and Explanations
 3.2.4 Consistent Identification (Level AA) Also applies to: EN 301 549 Criteria 9.3.2.4 (Web) 10.3.2.4 (Non-web document) – Does not apply 11.3.2.4 (Open Functionality Software) – Does not apply 11.3.2.4 (Closed Software) – Does not apply 11.8.2 (Authoring Tool) 	Supports	Care has been taken to identify components with the same functionality consistently throughout the site. Compliance of this standard was validated using a
 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 501 (Web)(Software) – Does not apply to non-web software 504.2 (Authoring Tool) 602.3 (Support Docs) – Does not apply to non-web docs 		combination of screen readers and manual keyboard and visual checks.
3.3.3 Error Suggestion (Level AA) Also applies to: EN 301 549 Criteria 9.3.3.3 (Web) 10.3.3.3 (Non-web document) 11.3.3.3 (Open Functionality Software) 11.3.3.3 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs)		Exceptions Search by ISBN, DOI, PubMed does not provide user information about valid/invalid format

Criteria	Conformance Level	Remarks and Explanations
3.3.4 Error Prevention (Legal, Financial, Data) (Level AA)		
Also applies to:		
EN 301 549 Criteria		
• 9.3.3.4 (Web)		
 10.3.3.4 (Non-web document) 		The site doesn't contain content that causes legal
 11.3.3.4 (Open Functionality Software) 	Not Applicable	commitments or financial transactions for the user.
• 11.3.3.4 (Closed Software)		
 11.8.2 (Authoring Tool) 		
• 12.1.2 (Product Docs)		
 12.2.4 (Support Docs) 		
Revised Section 508		
501 (Web)(Software)		
 504.2 (Authoring Tool) 		
• 602.3 (Support Docs)		
4.1.3 Status Messages (Level AA 2.1 only)		
Also applies to:		
EN 301 549 Criteria		
• 9.4.1.3 (Web)		
 10.4.1.3 (Non-web document) – Does not apply 		Updates about search results (searching, x results
 11.4.1.3 (Open Functionality Software) – Does not apply 	Not Supported	found) are not available to assistive technology.
 11.4.1.3 (Closed Software) – Does not apply 		louridy are not available to assistive technology.
 11.8.2 (Authoring Tool) 		
• 12.1.2 (Product Docs)		
• 12.2.4 (Support Docs)		
Revised Section 508 – Does not apply		

Table 3: Success Criteria, Level AAA

Notes: This Accessibility Conformance Report covers the degree of Level A and Level AA conformance for Web Content Accessibility Guidelines (WCAG) 2.1, as well as Section 508 standards as published in 2017 and corrected in 2018. Tables and other details in this section have been removed.

Revised Section 508 Report

Notes:

Chapter 3: Functional Performance Criteria (FPC)

Criteria	Conformance Level	Remarks and Explanations
302.1 Without Vision	Partially Supports	This product is coded to work with screen readers and other assistive technologies. Exceptions Information presented visually is not always available 1.1.1 Non-text Content (Level A) 1.3.1 Info and Relationships (Level A) 2.5.3 Label in Name (Level A 2.1 only) 3.3.2 Labels or Instructions (Level A) 4.1.3 Status Messages (Level AA 2.1 only) Compliance of this standard was validated using screen readers (listed above) and manual keyboard checks.
302.2 With Limited Vision	Supports	This product is coded to work with screen readers and other assistive technologies. In addition, text size can be adjusted through standard browser functionality. Compliance of this standard was validated using screen readers (listed above), visual, and manual keyboard checks.

Criteria	Conformance Level	Remarks and Explanations
302.3 Without Perception of Color	Supports	Color is used to enhance usability by drawing attention to certain areas of the screen. Color is never the only means of conveying information, indicating an action, prompting a response, or distinguishing a visual element. Compliance of this standard was validated
		using manual visual checks.
302.4 Without Hearing	Support	This product does not contain any audio output and does not require any audio input. User hearing is not required to search, browse, or use features that are available in the product. This standard was evaluated using manual visual checks.
302.5 With Limited Hearing	Support	This product does not contain any audio output and does not require any audio input. User hearing is not required to search, browse, or use features that are available in the product. This standard was evaluated using manual visual checks.
302.6 Without Speech	Support	User speech is not required to use the product. Compliance of this standard was validated using manual visual checks.

Criteria	Conformance Level	Remarks and Explanations
302.7 With Limited Manipulation	Support	Screen elements are designed to be accessible for users with poor motor control (e.g., clickable areas are suitably sized and spaced). Links and form elements can be accessed using the tab key.
		Compliance of this standard was validated using manual keyboard and visual checks.
302.8 With Limited Reach and Strength	Support	At least one mode of operation that is operable with limited reach and limited strength. For example: • The product can be used using keyboard only. • All active elements can receive keyboard focus. • The focus order of form fields is presented in a logical order. Compliance of this standard was validated using manual keyboard and visual checks.
302.9 With Limited Language, Cognitive, and Learning Abilities	Does Not Support	

Chapter 5: Software

Criteria	Conformance Level	Remarks and Explanations
501.1 Scope – Incorporation of WCAG 2.0 AA	See WCAG 2.x section	See information in WCAG 2.x section
502 Interoperability with Assistive Technology	Heading cell – no response required	Heading cell – no response required

Criteria	Conformance Level	Remarks and Explanations
502.2.1 User Control of Accessibility Features	Supports	This product does not interfere with accessibility features that are available through the user's operating system or browser. For example, users can use high contrast mode, text resize, and speech output.
		Compliance of this standard was validated using manual checks.
502.2.2 No Disruption of Accessibility Features	Supports	This product does not disrupt accessibility features that are defined in the platform documentation as accessibility features. Compliance of this standard was validated through manual checks.
502.3 Accessibility Services	Heading cell – no response required	Heading cell – no response required
502.3.1 Object Information	Partially Supports	Attributes for role, state/s, boundary, name and other properties for most standard and custom user interface controls are programmatically determinable. Exceptions See 4.1.2 Name, Role, Value (Level A) Compliance of this standard was validated using screen readers (listed above) and developer tools.

Criteria	Conformance Level	Remarks and Explanations
502.3.2 Modification of Object Information	Supports	States and properties that can be set by the user are capable of being set programmatically, including through assistive technology. For example, users are able to change focus and expand and collapse panels using a keyboard only. The state of the object is announced through assistive technology. Compliance of this standard was validated using screen readers (listed above) and keyboard checks.
502.3.3 Row, Column, and Headers	Supports	Tables are implemented using standard html elements, row and a column header are marked and can be identified as tables programmatically. This standard was evaluated using manual visual checks and code inspection.
502.3.4 Values	Partially Supports	The current values available for a user input control can be programmatically determined. For example, a screen reader will read out the values in a drop-down menu, checkbox options, and radio buttons. Exceptions See 1.3.1 Info and Relationships (Level A), 3.3.2 Labels or Instructions (Level A) Compliance of this standard was validated using screen readers (listed above) and keyboard checks.

Criteria	Conformance Level	Remarks and Explanations
502.3.5 Modification of Values	Supports	Values that can be set by the user can be set programmatically, including through assistive technology. Compliance of this standard was validated using screen readers (listed above) and keyboard checks.
502.3.6 Label Relationships	Supports with exceptions	All forms have been coded with the necessary mark-up (e.g., using labels / ids, fieldsets, etc.) to make them accessible to assistive technologies. Text labels identify all form fields. Label / ids and other accessible code necessary for screen readers are associated with all form elements. Exceptions See 1.3.1 Info and Relationships (Level A), 3.3.2 Labels or Instructions (Level A) Compliance of this standard was validated using WAVE and manual visual checks.
502.3.7 Hierarchical Relationships	Supports	Hierarchical (parent-child) relationships are programmatically determinable. For example, when tabbing to a dropdown, assistive technology will announce how many items it contains. Compliance of this standard was validated using screen readers (listed above) and manual checks.
502.3.8 Text	Supports	Standard HTML code is used for displaying text on the screen used. Text styling is controlled through cascading style sheets. Compliance of this standard was validated using manual visual checks.

Criteria	Conformance Level	Remarks and Explanations
502.3.9 Modification of Text	Supports	The product is primarily static text; it does not allow users to set attributes of the text. Users are able to insert text into search fields and forms. This text can be modified using assistive technology. Compliance of this standard was validated using manual visual checks.
502.3.10 List of Actions	Supports	Where relevant, the product's UI components provide a list of actions programmatically determinable by assistive technologies. Compliance of this standard was validated using screen readers (listed above) and manual keyboard checks.
502.3.11 Actions on Objects	Supports	This product is coded in a way to allow assistive technologies (AT) to programmatically execute available actions on objects. Compliance of this standard was validated with using screen readers (listed above) and manual keyboard checks
502.3.12 Focus Cursor	Supports	The current input focus can be discerned by assistive technology (using standard html code for forms, etc.). For most page elements, cursor focus is indicated visually by a blue border. This standard was evaluated using manual keyboard and visual checks.
502.3.13 Modification of Focus Cursor	Supports	Users are able to modify the location of focus (for user focusable controls), the text insertion point (caret) when a caret exists, and change selection attributes of objects (when text and items can be selected by the user). This standard was evaluated using manual keyboard and visual checks.

Criteria	Conformance Level	Remarks and Explanations
502.3.14 Event Notification	Does Not Supports	When data on the page is refreshed based on user action (e.g. search results and filtering, errors), user is not notified about the newly displayed content This standard was evaluated using screen readers (listed above).
502.4 Platform Accessibility Features	Supports	The product does not interfere with system features to: • Enable sequential entry of multiple (chorded) keystrokes (Section 9.3.3) • Provide adjustment of delay before key acceptance (Section 9.3.4) • Provide adjustment of same-key doublestrike acceptance (Section 9.3.5) • Provide screen reader support. In addition, a text-to-speech feature is available on document pages. It is an optional feature that can be enabled in the customer's account. (Section 10.6.9)
503 Applications	Heading cell – no response required	Heading cell – no response required
503.2 User Preferences	Supports	The CSS style sheet can be overridden in the product using the browser settings. Compliance of this standard was validated using manual visual checks.
503.3 Alternative User Interfaces	Not Applicable	This product does not provide alternative user interfaces that function as assistive technology. This standard was evaluated using manual visual checks.
503.4 User Controls for Captions and Audio Description	Heading cell – no response required	Heading cell – no response required
503.4.1 Caption Controls	Not Applicable	This product does not contain any audio/video content
503.4.2 Audio Description Controls	Not Applicable	This product does not contain any audio/video content
504 Authoring Tools	Heading cell – no response required	Heading cell – no response required

Criteria	Conformance Level	Remarks and Explanations
504.2 Content Creation or Editing (if not authoring tool, enter "not applicable")	See <u>WCAG 2.x</u> section	See information in WCAG 2.x section
504.2.1 Preservation of Information Provided for Accessibility in Format Conversion	Not Applicable	This product does not contain authoring functionality
504.2.2 PDF Export	Not Applicable	This product does not contain authoring functionality
504.3 Prompts	Not Applicable	This product does not contain authoring functionality This product does not contain authoring functionality
504.4 Templates	Not Applicable	This product does not contain authoring functionality

Chapter 6: Support Documentation and Services

Criteria	Conformance Level	Remarks and Explanations
601.1 Scope	Heading cell – no response required	Heading cell – no response required
602 Support Documentation	Heading cell – no response required	Heading cell – no response required
602.2 Accessibility and Compatibility Features	Does Not Support	Accessibility information is not available online
602.3 Electronic Support Documentation	See WCAG 2.x section	See information in WCAG 2.x section
602.4 Alternate Formats for Non-Electronic Support Documentation	Supported	Product support documentation is provided online through the product's help system and through ExLibris Knowledge Center site. This documentation can be accessed online or printed. End-users can also contact customer support (by phone, email, chat, or through the Contact Us web form) to request any further help.
603 Support Services	Heading cell – no response required	Heading cell – no response required
603.2 Information on Accessibility and Compatibility Features	Does Not Support	Accessibility information is not available online

Criteria	Conformance Level	Remarks and Explanations
603.3 Accommodation of Communication Needs	Supports	Support services are available to accommodate the communication needs of end users with disabilities. Users can communicate with customer support via: • Phone • Email • Chat • Contact Us web form Support services have experience working with end users with disabilities.

Legal Disclaimer (ProQuest)

This Accessibility Conformance Report represents the specific release of the product described, as of the date of this document. Notwithstanding the information contained in the Accessibility Conformance Report, if use of the product is subject to a license agreement, the terms and conditions of the product's license agreement remain in full force and effect, including any limitation of liability and disclaimer of warranties provisions.