



Primo VE Advanced Normalization Rules Workshop

BenYishai Ze'evi | September 14, 2023

- ❖ Search and Facet Normalization Rules
- ❖ Local Search index & Local Facets
- ❖ Data manipulation & Regex



Local Fields for Search/Facet

Define a Local Field

Field to edit *

Display label * 

Back Save

Local field details 

Enable field for search <input checked="" type="checkbox"/>	Use the parallel Local Field 01/50 from the Dublin Core record <input type="checkbox"/>
Enable field for facet <input checked="" type="checkbox"/>	Use full text links for indexing <input type="checkbox"/>
Use Translations <input type="checkbox"/>	



Local Fields for Search/Facet

Acquisitions	Other
Resources	Mapping Tables Resource Recommender Configuration
Discovery	Central Index and proxy set-up Primo Deep-Link Re-Direct Configuration
Leganto	Suppress Dedup/FRBR Dedup and FRBR Test Utility
Fulfillment	Customer Settings URL Mapping
Resource Sharing	Citations Styles
User Management	Local Fields using Search and Facet Normalization Rules
General	Primo VE Deep Search Configuration
Analytics	Exclude Process Types from Discovery Indexing

Local Fields using Search and Facet Normalization Rules

1 - 4 of 4

Field

1 Local Field 01

2 Local Field 08

3 Local Field 10

4 Local Field 15




Local Fields for Search/Facet

MARC21 Normalization Rules

▲ Normalization rule	▼ Updated by	▼ Updated date	
1 MARC21 normalization rule for display	-	-	...
2 MARC21 normalization rule for search and facet	-	-	...

UNIMARC Normalization Rules

Edit Test > <



Normalization rule for local_field_40

```
rule "Primo VE Marc - Lsr40"
when
    MARC is "XXX"."a"
then
    create pnx.search".lsr40" with MARC "XXX"."a"
end
```

Close **Save**

Local Search Index

This screenshot shows the 'View Configuration' page for the view 'TR_INTEGRATION_INST:GoVE'. The 'View Name' is 'Go Primo VE'. The top navigation bar includes 'General', 'Links Menu', 'Search Profile Slots', 'Advanced Search Configuration', 'Brief Results', 'Brief Record Display', 'Full Record Services', and 'Manage Customization Package'. A 'List of Indexes' section contains a checkbox for 'Enable For Basic Search'. At the bottom, there are buttons for 'Restore', '+ Add Index', and a refresh icon.

This screenshot shows the 'Advanced Search Configuration' page. The search type is set to 'Everything'. The search term input field is empty. On the left, there are search filters: 'Any field' (selected), 'Subject', 'Author/creator', 'Course ID', and 'ISSN'. On the right, there are dropdowns for 'Material Type' (set to 'Blog'), 'Language' (set to 'Any language'), and date ranges for 'Start Date' and 'End Date'. The bottom navigation bar includes 'LIBRARY SEARCH', 'JOURNAL SEARCH', 'GO TO BACKOFFICE', 'TAGS', 'ILL REQUEST', 'CITATION LINKER', and '***'.

This screenshot shows the main search interface with a search bar containing 'Search anything'. Below it, search parameters are set to 'All items' and 'that contain my query words' with 'anywhere in the record' selected. A dropdown menu lists search options: 'anywhere in the record', 'in subject', 'as author/creator', 'Course ID', and 'ISSN'. The bottom navigation bar includes 'LIBRARY SEARCH', 'JOURNAL SEARCH', 'GO TO BACKOFFICE', 'TAGS', 'ILL REQUEST', 'CITATION LINKER', and '***'.



Local Facets

[View Configuration](#) Back

TR_INTEGRATION_INST:GoVE

View Name Go Primo VE

[General](#) [Links Menu](#) [Search Profile Slots](#) [Advanced Search Configuration](#) [Brief Results](#)

[Brief Record Display](#) [Full Record Services](#) [Manage Customization Package](#)

Facets

[Restore](#) [+ Add a Local Facet ▾](#)



NR Transformations

1. remove substring using regex "<Java_regex>"
remove substring using regex \.+\$

2. remove substring using regex (TEMP"<index>", "<Java_regex >")
remove substring using regex (TEMP"1", "(/|:|;|=|,)+\$")

3. concatenate with delimiter (TEMP"<index>", TEMP"<index>", "<delimiter>")
concatenate with delimiter (TEMP"1", TEMP"2", " ")



NR Transformations

4. add prefix (TEMP"<index>", "<value>")
add prefix (TEMP"2", "\$\$Q")

5. add suffix (TEMP"<index>", "<value>")
add suffix (TEMP"2", "\$\$Q")

6. replace string by string (TEMP"<index>", "<Java_regex>", "<string>")
replace string by string (TEMP"1", "[^0-9]", "\\\?")



NR Transformations

```
7. sub without sort "<subfield list>" wrap subfields  
replace wrapping  
delimiters (TEMP"<index>", "<subfield>", "<prefix_delimiter>", "<suffix_delimiter>")  
set TEMP"1" to MARC."200" sub without sort "a,b,c,d,e,f,g,h,i,v" wrap subfields  
replace wrapping delimiters (TEMP"1", "a", " ; ", "")  
replace wrapping delimiters (TEMP"1", "b", " [ , ] ")
```

```
8. return list using regex (TEMP"<index>", TEMP"<index>", "<Java_regex>")  
return list using regex (TEMP"1", TEMP"2", ".*ology")
```



NR Transformations

9. remove string (TEMP"<index>","<value>")
remove string (TEMP"1","<<")

10. remove leading and trailing spaces (TEMP"<index>")
remove leading and trailing spaces (TEMP"1")

11. replace spaces (TEMP"<index>","<string>")
replace spaces (TEMP"1"," ")

12. lower case (TEMP"<index>")
lower case (TEMP"1")

We hope you enjoyed our presentation as much as we did!

Please fill out this short survey:



<https://www.surveymonkey.com/r/889CXSZ>

Thank you!

BenYishai Ze'evi

Ben-Yishai.Zeevi@Clarivate.com

About Clarivate

Clarivate is the leading global information services provider. We connect people and organizations to intelligence they can trust to transform their perspective, their work and our world. Our subscription and technology-based solutions are coupled with deep domain expertise and cover the areas of Academia & Government, Life Sciences & Healthcare and Intellectual Property. For more information, please visit clarivate.com

© 2023 Clarivate

Clarivate and its logo, as well as all other trademarks used herein are trademarks of their respective owners and used under license.