

Implementation Instructions SP 4.8.1

1. New Broken Link report option to allow end users to get follow up information from the library.

File: templates/simplified_template1/sfxmenu.tmpl

Add the code marked in green:

```
<TMPL_IF IS_RTL>
    <LINK REL="stylesheet" TYPE="text/css" href=<TMPL_VAR
NAME='BASE'>/<TMPL_VAR NAME='INSTANCE' ESCAPE='HTML'>/css/bx/bx_rtl_add_on.css">
</TMPL_IF>
<SCRIPT type="text/javascript" LANGUAGE="JavaScript" src=<TMPL_VAR
NAME='INSTANCE' ESCAPE='HTML'>/js/sfxmenu/open_link.js"></script>
<link href=<TMPL_VAR NAME='INSTANCE' ESCAPE='HTML'>/css/<TMPL_VAR
TEMPLATE_PATH_ROOT>/brokenlink.css" rel="stylesheet" type="text/css">
</head>
<body>
```

File: templates/js/sfxmenu/gbs.js

Do the following:

1. Edit this function, the code marked in green.

```
function openWindowReportLinks(obj, form_name) {
    var resolverUrl = buildResolverUrlFromForm(obj, form_name,
'&report_link=1&new_broken_link=1');
    var xmlhttp = createAjaxObj();
    xmlhttp.onreadystatechange=function()
    {
        if (xmlhttp.readyState==4)
    {
        var brokenLinkData = JSON.parse(xmlhttp.responseText);
        var beaconURL = brokenLinkData.beaconUrl;
        if(beaconURL != null){
            var nImg = document.createElement('img');
            nImg.src = beaconURL;
            nImg.style.display='none';
            nImg.alt = "";
            document.body.appendChild(nImg);
        }
        var allowFeedback = brokenLinkData.feedback;
        // check if we should show the broken link report for the end-user
        if ( allowFeedback == 1 ) {
            showReportBrokenLink ( obj, form_name,
brokenLinkData.reportingIntro, brokenLinkData.reportingEmail, brokenLinkData.labelEmail,
```

```

brokenLinkData.labelNote, brokenLinkData.report, brokenLinkData.closeLbl,
brokenLinkData.errorEmailAddress,

brokenLinkData.errorNoteNoEmailAddress, brokenLinkData.language_code);
var report_broken_link = document.getElementById(form_name + '-reportlink');
var changeLink = "javascript:showReportBrokenLink (this,
"+form_name + ")");
report_broken_link.href = changeLink;
} else {
set_element_display_by_id_safe(form_name + '-reportlink-loading',
'none');
set_element_display_by_id_safe(form_name + '-reportlink', 'none');
set_element_display_by_id_safe(form_name + '-reportlink-thankyou',
'inline');
}
}
xmlhttp.open("GET", resolverUrl, true);
xmlhttp.setRequestHeader('Content-type','application/x-www-form-urlencoded; charset=utf-8');
xmlhttp.send();
set_element_display_by_id_safe(form_name + '-reportlink-loading', 'inline');
}

```

2. Edit this function, the code marked in green.

```

function reportGoButton(obj, form_name){
//code before the pause
setTimeout(function(){
//do what you need here

var resolverUrl = buildResolverUrlFromForm(obj, form_name,
'&report_go_button=1');
var xmlhttp = createAjaxObj();

xmlhttp.onreadystatechange=function()
{
if (xmlhttp.readyState==4)
{
var beaconURL = xmlhttp.responseText;
if(beaconURL != null && beaconURL != "" && beaconURL !=
"0"){
var nImg = document.createElement('img');
nImg.src = beaconURL;
nImg.style.display='none';
nImg.alt = "";
document.body.appendChild(nImg);
}
}
xmlhttp.open("GET", resolverUrl,true);
xmlhttp.send();
}, 3000);
}

```

}

3. Add the code marked in green.

```
// function for showing the broken links report pop-up
function showReportBrokenLink (      obj, form_name, reportingIntro, reportingEmail, labelEmail,
labelNote, report, Close, errorEmailAddress, errorNoteNoEmailAddress, lang) {
    var reportWindow = document.getElementById('ReportWindow');
    set_element_display_by_id_safe(form_name + '-reportlink-loading', 'inline');
    if (reportWindow == null) {
        var txt = '<div id="ReportWindow" ';
        if ( lang == 'heb' ) { txt += '
class="ExlRightBrokenLinkPopUp"> ; } else { txt += ' class="ExlBrokenLinkPopUp"> ; }
        txt +=   '<div class="ExlRightDivBL">' +
                  '<a href="javascript:closeReportWindow();"
class="ExlCloseBL" > ' +
                  '</a>' +
                  '</div>' +
                  '<div id="ReportingIntro" tabIndex="0" >'+
reportingIntro + '<br /><br />' + reportingEmail + '<br /><br /></div>' +
                  '<div class="ExlInputDivBL" > +
                  '<label for="id_e-mail" ';
        if ( lang == 'heb' ) { txt += ' class="ExlRightLabelBL"> ';
} else { txt += ' class="ExlLeftLabelBL"> ';}
        txt +=   labelEmail+ '</label>' +
                  '<input name="e-mail_value" id="id_e-mail"
class="ExlInputBL" ></input>' +
                  '</div>' +
                  '<div class="ExlInputDivBL"> +
                  '<label for="id_client_note" ';
        if ( lang == 'heb' ) { txt += ' class="ExlRightLabelBL"> ';
} else { txt += ' class="ExlLeftLabelBL"> ';}
        txt +=   labelNote+ '</label>' +
                  '<input name="note_value" id="id_client_note"
class="ExlInputBL" ></input>' +
                  '</div>' +
                  '<div id="error_div" tabIndex="0" >
                  '<label id="report_error1" class="ExlErrorLabelBL" >
                  '<label id="report_error2" class="ExlErrorLabelBL" >
                  '</div><br />' +
                  '<div ';
        if ( lang == 'heb' ) { txt += 'class="ExlLeftReportDiv">
'; } else { txt += 'class="ExlRightReportDiv"> ';}
        txt +=   '<label id="report_label" title=' +report+ '>' +
                  '<a href="#" id="reportLink"
onclick="clickReportBrokenLink (this, \'' +form_name+'\' ); class="ExlReportBL" >[' +report+ ']</a>' +
                  '</label>' +
                  '</div>' +
                  '</div>';
```

```

        var body = document.getElementsByTagName('body');
        document.body.innerHTML += txt;
    }else {

        document.getElementById('reportLink').setAttribute("onclick","clickReportBrokenLink (this,
        '"+form_name+"')");
        document.getElementById('id_e-mail').value = "";
        document.getElementById('id_client_note').value = "";
        set_element_display_by_id_safe('error_div', 'none');
    }
    set_element_display_by_id_safe(form_name + '-reportlink-loading', 'none');
    set_element_display_by_id_safe('ReportWindow', 'inline');
    document.getElementById("ReportingIntro").focus();
}

// click on 'report' in the broken link report pop-up //
function clickReportBrokenLink (obj,form_name) {
    set_element_display_by_id_safe(form_name + '-reportlink-loading', 'inline');
    var email = document.getElementById('id_e-mail').value;
    var note = document.getElementById('id_client_note').value;
    set_element_display_by_id_safe('report_error1', 'none');
    set_element_display_by_id_safe('report_error2', 'none');
    var report_div = document.getElementById('ReportWindow');

    if ( email ) {
        var filter = /^(\s*([a-zA-Z0-9_\.-])+@\(([a-zA-Z0-9\-.]+\.)+([a-zA-Z0-9]{2,4})+\s*\$/;
        if (!filter.test(email)) {
            set_element_display_by_id_safe('report_error1', 'inline');
            set_element_display_by_id_safe('error_div', 'inline');
            set_element_display_by_id_safe(form_name + '-reportlink-loading', 'none');
            return;
        }
    }
    else {
        if ( note ) {
            set_element_display_by_id_safe('report_error2', 'inline');
            set_element_display_by_id_safe('error_div', 'inline');
            set_element_display_by_id_safe(form_name + '-reportlink-loading', 'none');
            return;
        }
    }
    closeReportWindow ();
    sendEmailToLibrary(obj, form_name);
    set_element_display_by_id_safe(form_name + '-reportlink-loading', 'none');
    set_element_display_by_id_safe(form_name + '-reportlink', 'none');
    set_element_display_by_id_safe(form_name + '-reportlink-thankyou', 'inline');
}

// close the broken link report pop-up //
function closeReportWindow () {
    set_element_display_by_id_safe('ReportWindow', 'none');
    set_element_display_by_id_safe('report_error1', 'none');
    set_element_display_by_id_safe('report_error2', 'none');
}

```

```

        set_element_display_by_id_safe('error_div', 'none');

    }

//send mail's broken link to library with the end-user data //
function sendEmailToLibrary (obj, form_name) {
    var initial_form = document.getElementsByName(form_name)[0];
    var resolverUrl = initial_form.action;
    var changeCgiUrl = resolverUrl.replace("sfxresolver.cgi","sfxreportlinks.cgi");
    var form_inputs = initial_form.getElementsByTagName('input');
    var key_values = "";
    for(var i = 0; i < form_inputs.length; i++){
        key_values = key_values + '&' + form_inputs[i].name + '=' + form_inputs[i].value;
    }
    var xmlhttp = createAjaxObj();
    xmlhttp.open("POST", changeCgiUrl, true);
    var send_data = prepareDataForEmail(form_name);
    xmlhttp.send(send_data);
}

function prepareDataForEmail(form_name) {
    var initial_form = document.getElementsByName(form_name)[0];
    var form_inputs = initial_form.getElementsByTagName('input');
    //IE does not know the formData object
    if (typeof FormData == 'undefined') {
        var key_values = "";
        for(var i = 0; i < form_inputs.length; i++){
            key_values = key_values + '&' + form_inputs[i].name + '=' +
form_inputs[i].value;
        }
        var result = 'email=' + document.getElementById('id_e-mail').value;
        var note = escape(document.getElementById('id_client_note').value);
        result = result.concat('&note=' + note);
        if ( key_values ) {
            result = result.concat(key_values);
        }
        result = result.concat('&report_link=1');
        return result;
    } else {
        var data = new FormData();
        data.append('email', document.getElementById('id_e-mail').value);
        data.append('note', document.getElementById('id_client_note').value);
        for(var i = 0; i < form_inputs.length; i++){
            data.append(form_inputs[i].name, form_inputs[i].value);
        }
        data.append('report_link', 1);
        return data;
    }
}

```

2. Fixed problem with incorrect display of the availability statement for portfolio thresholds containing logic operator '<'.

File: templates/simplified_template1/target_list.tmpl

Edit this function, the code marked in green.

```
<TMPL_LOOP PARSE_DATE>
<TMPL_IF THRESH_GREATOR>
<TMPL_IF THRESH_UNRELATED>
<tr>
<td>&ampnbsp</td>
<td nowrap style="font-size:12px">
<TMPL_IF INCLUDED><TMPL_VAR ESCAPE=HTML
NAME='MESSAGE("Availability","AvailableFrom")'|>
<TMPL_ELSE><TMPL_VAR ESCAPE=HTML
NAME='MESSAGE("Availability","AvailableAfter")'|></TMPL_IF>
<TMPL_IF THRESH_YEAR><TMPL_VAR NAME='THRESH_YEAR'
ESCAPE='HTML'|></TMPL_IF>
<TMPL_IF THRESH_VOLUME><TMPL_VAR ESCAPE=HTML
NAME='MESSAGE("Availability","Volume")'|>:<TMPL_VAR NAME='THRESH_VOLUME'
ESCAPE='HTML'|></TMPL_IF>
<TMPL_IF THRESH_ISSUE><TMPL_VAR ESCAPE=HTML
NAME='MESSAGE("Availability","Issue")'|>:<TMPL_VAR NAME='THRESH_ISSUE'
ESCAPE='HTML'|></TMPL_IF>
</td>
</tr>
</TMPL_IF>
<TMPL_IF THRESH_LOWER_LIMIT>
<tr>
<td>&ampnbsp</td>
<td nowrap style="font-size:12px">
<TMPL_IF INCLUDED><TMPL_VAR ESCAPE=HTML
NAME='MESSAGE("Availability","AvailableFrom")'|>
<TMPL_ELSE><TMPL_VAR ESCAPE=HTML
NAME='MESSAGE("Availability","AvailableAfter")'|></TMPL_IF>
<TMPL_IF THRESH_YEAR><TMPL_VAR NAME='THRESH_YEAR'
ESCAPE='HTML'|></TMPL_IF>
<TMPL_IF THRESH_VOLUME><TMPL_VAR ESCAPE=HTML
NAME='MESSAGE("Availability","Volume")'|>:<TMPL_VAR NAME='THRESH_VOLUME'
ESCAPE='HTML'|></TMPL_IF>
<TMPL_IF THRESH_ISSUE><TMPL_VAR ESCAPE=HTML
NAME='MESSAGE("Availability","Issue")'|>:<TMPL_VAR NAME='THRESH_ISSUE'
ESCAPE='HTML'|></TMPL_IF>
</TMPL_IF>
</TMPL_IF>

<TMPL_IF THRESH_LESS>
<TMPL_IF THRESH_UNRELATED>
<tr>
<td>&ampnbsp</td>
<td nowrap style="font-size:12px">
```

```

        <TMPL_IF INCLUDED><TMPL_VAR ESCAPE=HTML
NAME='MESSAGE("Availability","AvailableUntilIncluding")'>
        <TMPL_ELSE><TMPL_VAR ESCAPE=HTML
NAME='MESSAGE("Availability","AvailableUntilNotIncluding")'></TMPL_IF>
        <TMPL_IF THRESH_YEAR><TMPL_VAR NAME='THRESH_YEAR'
ESCAPE='HTML'></TMPL_IF>
        <TMPL_IF THRESH_VOLUME> <TMPL_VAR ESCAPE=HTML
NAME='MESSAGE("Availability","Volume")': <TMPL_VAR NAME='THRESH_VOLUME'
ESCAPE='HTML'></TMPL_IF>
        <TMPL_IF THRESH_ISSUE> <TMPL_VAR ESCAPE=HTML
NAME='MESSAGE("Availability","Issue")':<TMPL_VAR NAME='THRESH_ISSUE'
ESCAPE='HTML'></TMPL_IF>
        </td>
        </tr>
    </TMPL_IF>
    <TMPL_IF THRESH_UPPER_LIMIT>
        <TMPL_IF INCLUDED><TMPL_VAR ESCAPE=HTML
NAME='MESSAGE("Availability","UntilIncluding")'>
        <TMPL_ELSE><TMPL_VAR ESCAPE=HTML
NAME='MESSAGE("Availability","UntilNotIncluding")'></TMPL_IF>
        <TMPL_IF THRESH_YEAR><TMPL_VAR NAME='THRESH_YEAR'
ESCAPE='HTML'></TMPL_IF>
        <TMPL_IF THRESH_VOLUME> <TMPL_VAR ESCAPE=HTML
NAME='MESSAGE("Availability","Volume")': <TMPL_VAR NAME='THRESH_VOLUME'
ESCAPE='HTML'></TMPL_IF>
        <TMPL_IF THRESH_ISSUE> <TMPL_VAR ESCAPE=HTML
NAME='MESSAGE("Availability","Issue")':<TMPL_VAR NAME='THRESH_ISSUE'
ESCAPE='HTML'></TMPL_IF>
        </td>
        </tr>
    </TMPL_IF>
    </TMPL_IF>
    <TMPL_IF THRESH_EQUAL>
        <tr>
            <td>&nbsp;</td>
            <td nowrap style="font-size:12px">
                <TMPL_VAR ESCAPE=HTML NAME='MESSAGE("Availability","AvailableIn")'>
                <TMPL_IF THRESH_YEAR><TMPL_VAR NAME='THRESH_YEAR'
ESCAPE='HTML'></TMPL_IF>
                <TMPL_IF THRESH_VOLUME> <TMPL_VAR ESCAPE=HTML
NAME='MESSAGE("Availability","Volume")': <TMPL_VAR NAME='THRESH_VOLUME'
ESCAPE='HTML'></TMPL_IF>
                <TMPL_IF THRESH_ISSUE> <TMPL_VAR ESCAPE=HTML
NAME='MESSAGE("Availability","Issue")':<TMPL_VAR NAME='THRESH_ISSUE'
ESCAPE='HTML'></TMPL_IF>
                </td>
                </tr>
            </TMPL_IF>
        </TMPL_LOOP>
    
```

File: templates/simplified_template1/mobile/target_list tmpl

Edit this function, the code marked in green.

```
<TMPL_LOOP PARSE_DATE>
    <TMPL_IF THRESH_GREATOR>
        <TMPL_IF THRESH_UNRELATED>
            <span class="availability">
                <TMPL_IF INCLUDED><TMPL_VAR ESCAPE=HTML
NAME='MESSAGE("Availability","AvailableFrom")'>
                    <TMPL_ELSE><TMPL_VAR ESCAPE=HTML
NAME='MESSAGE("Availability","AvailableAfter")'></TMPL_IF>
                    <TMPL_IF THRESH_YEAR><TMPL_VAR NAME='THRESH_YEAR'
ESCAPE='HTML'></TMPL_IF>
                    <TMPL_IF THRESH_VOLUME><TMPL_VAR ESCAPE=HTML
NAME='MESSAGE("Availability","Volume")'>: <TMPL_VAR NAME='THRESH_VOLUME'
ESCAPE='HTML'></TMPL_IF>
                    <TMPL_IF THRESH_ISSUE> <TMPL_VAR ESCAPE=HTML
NAME='MESSAGE("Availability","Issue")'>:<TMPL_VAR NAME='THRESH_ISSUE'
ESCAPE='HTML'></TMPL_IF>
                </span>
            </TMPL_IF>
            <TMPL_IF THRESH_LOWER_LIMIT>
                <span class="availability">
                    <TMPL_IF
INCLUDED><TMPL_VAR ESCAPE=HTML NAME='MESSAGE("Availability","AvailableFrom")'>
                        <TMPL_ELSE><TMPL_VAR ESCAPE=HTML
NAME='MESSAGE("Availability","AvailableAfter")'></TMPL_IF>
                    <TMPL_IF
THRESH_YEAR><TMPL_VAR NAME='THRESH_YEAR' ESCAPE='HTML'></TMPL_IF>
                    <TMPL_IF
THRESH_VOLUME><TMPL_VAR ESCAPE=HTML NAME='MESSAGE("Availability","Volume")'>: <TMPL_VAR
NAME='THRESH_VOLUME' ESCAPE='HTML'></TMPL_IF>
                    <TMPL_IF THRESH_ISSUE>
                        <TMPL_VAR ESCAPE=HTML NAME='MESSAGE("Availability","Issue")'>:<TMPL_VAR
NAME='THRESH_ISSUE' ESCAPE='HTML'></TMPL_IF>
                    </span>
                </TMPL_IF>
            </TMPL_IF THRESH_UNRELATED>
            <span class="availability">
                <TMPL_IF INCLUDED><TMPL_VAR ESCAPE=HTML
NAME='MESSAGE("Availability","AvailableUntilIncluding")'>
                    <TMPL_ELSE><TMPL_VAR ESCAPE=HTML
NAME='MESSAGE("Availability","AvailableUntilNotIncluding")'></TMPL_IF>
                    <TMPL_IF THRESH_YEAR><TMPL_VAR NAME='THRESH_YEAR'
ESCAPE='HTML'></TMPL_IF>
                    <TMPL_IF THRESH_VOLUME><TMPL_VAR ESCAPE=HTML
NAME='MESSAGE("Availability","Volume")'>: <TMPL_VAR NAME='THRESH_VOLUME'
ESCAPE='HTML'></TMPL_IF>
```

```

<TMPL_IF THRESH_ISSUE> <TMPL_VAR ESCAPE=HTML
NAME='MESSAGE("Availability","Issue")':<TMPL_VAR NAME='THRESH_ISSUE'
ESCAPE='HTML'></TMPL_IF>
                                            </span>
                                            </TMPL_IF>
                                            <TMPL_IF THRESH_UPPER_LIMIT>
                                                <span class="availability">
                                                    <TMPL_IF
INCLUDED><TMPL_VAR ESCAPE=HTML NAME='MESSAGE("Availability","UntilIncluding")'
                                            <TMPL_ELSE><TMPL_VAR ESCAPE=HTML
NAME='MESSAGE("Availability","UntilNotIncluding")'></TMPL_IF>
                                            <TMPL_IF THRESH_YEAR><TMPL_VAR NAME='THRESH_YEAR'
ESCAPE='HTML'></TMPL_IF>
                                            <TMPL_IF THRESH_VOLUME> <TMPL_VAR ESCAPE=HTML
NAME='MESSAGE("Availability","Volume")': <TMPL_VAR NAME='THRESH_VOLUME'
ESCAPE='HTML'></TMPL_IF>
                                            <TMPL_IF THRESH_ISSUE> <TMPL_VAR ESCAPE=HTML
NAME='MESSAGE("Availability","Issue")':<TMPL_VAR NAME='THRESH_ISSUE'
ESCAPE='HTML'></TMPL_IF>
                                            </span>
                                            </TMPL_IF>
                                            </TMPL_IF>
                                            <TMPL_IF THRESH_EQUAL>
                                                <span class="availability">
                                                    <TMPL_VAR ESCAPE=HTML
NAME='MESSAGE("Availability","AvailableIn")'
                                            <TMPL_IF THRESH_YEAR><TMPL_VAR NAME='THRESH_YEAR'
ESCAPE='HTML'></TMPL_IF>
                                            <TMPL_IF THRESH_VOLUME> <TMPL_VAR ESCAPE=HTML
NAME='MESSAGE("Availability","Volume")': <TMPL_VAR NAME='THRESH_VOLUME'
ESCAPE='HTML'></TMPL_IF>
                                            <TMPL_IF THRESH_ISSUE> <TMPL_VAR ESCAPE=HTML
NAME='MESSAGE("Availability","Issue")':<TMPL_VAR NAME='THRESH_ISSUE'
ESCAPE='HTML'></TMPL_IF>
                                            </span>
                                            </TMPL_IF>
                                        </TMPL_LOOP>
<TMPL_LOOP TIME_DIFF>
    <TMPL_IF AVAILABLE>
        <span class="availability">
            <TMPL_VAR ESCAPE=HTML NAME='MESSAGE("Availability","MostRecent")'>
            <TMPL_IF THRESH_YEAR> <TMPL_VAR NAME='THRESH_YEAR' ESCAPE='HTML'>
<TMPL_VAR ESCAPE=HTML NAME='MESSAGE("Availability","Years")'></TMPL_IF>
            <TMPL_IF THRESH_MONTH> <TMPL_VAR NAME='THRESH_MONTH' ESCAPE='HTML'>
<TMPL_VAR ESCAPE=HTML NAME='MESSAGE("Availability","Months")'></TMPL_IF>
            <TMPL_VAR NAME='MESSAGE("Availability","Available")' ESCAPE=HTML>
                                            </span>
        </TMPL_IF>
        <TMPL_IF NOT_AVAILABLE>
            <span class="availability">
                <TMPL_VAR ESCAPE=HTML NAME='MESSAGE("Availability","MostRecent")'>
                <TMPL_IF THRESH_YEAR> <TMPL_VAR NAME='THRESH_YEAR' ESCAPE='HTML'>
<TMPL_VAR ESCAPE=HTML NAME='MESSAGE("Availability","Years")'></TMPL_IF>

```

```

<TMPL_IF THRESH_MONTH> <TMPL_VAR NAME='THRESH_MONTH' ESCAPE='HTML'>
<TMPL_VAR ESCAPE=HTML NAME='MESSAGE("Availability","Months")'></TMPL_IF>
    <TMPL_VAR ESCAPE=HTML NAME='MESSAGE("Availability","NotAvailable")'>
        </span>
    </TMPL_IF>
</TMPL_LOOP>

```

File: templates/sfxmenu/target_list tmpl

Edit this function, the code marked in green.

```

<TMPL_LOOP PARSE_DATE>
    <TMPL_IF THRESH_GREATOR>
        <TMPL_IF THRESH_UNRELATED>
            <tr class="Block" style="padding-left: 14px;">
                <td nowrap style="padding-left:10px">
                    <TMPL_IF INCLUDED>Available from <TMPL_ELSE>Available after </TMPL_IF>
                    <TMPL_IF THRESH_YEAR><TMPL_VAR NAME='THRESH_YEAR' ESCAPE='HTML'></TMPL_IF>
                        <TMPL_IF THRESH_VOLUME> volume: <TMPL_VAR NAME='THRESH_VOLUME' ESCAPE='HTML'></TMPL_IF>
                            <TMPL_IF THRESH_ISSUE> issue:<TMPL_VAR NAME='THRESH_ISSUE' ESCAPE='HTML'></TMPL_IF>
                            </td>
                        </tr>
                    </TMPL_IF>
                    <TMPL_IF THRESH_LOWER_LIMIT>
                        <tr class="Block" style="padding-left: 14px;">
                            <td nowrap style="padding-left:10px">
                                <TMPL_IF INCLUDED>Available from <TMPL_ELSE>Available after </TMPL_IF>
                                <TMPL_IF THRESH_YEAR><TMPL_VAR NAME='THRESH_YEAR' ESCAPE='HTML'></TMPL_IF>
                                    <TMPL_IF THRESH_VOLUME> volume: <TMPL_VAR NAME='THRESH_VOLUME' ESCAPE='HTML'></TMPL_IF>
                                        <TMPL_IF THRESH_ISSUE> issue:<TMPL_VAR NAME='THRESH_ISSUE' ESCAPE='HTML'></TMPL_IF>
                                    </td>
                                </tr>
                            </TMPL_IF>
                            <TMPL_IF THRESH_LESS>
                                <TMPL_IF THRESH_UNRELATED>
                                    <tr class="Block" style="padding-left: 14px;">
                                        <td nowrap style="padding-left:10px">
                                            <TMPL_IF INCLUDED>Available until (and including) <TMPL_ELSE>Available until (not including) </TMPL_IF>
                                            <TMPL_IF THRESH_YEAR><TMPL_VAR NAME='THRESH_YEAR' ESCAPE='HTML'></TMPL_IF>
                                                <TMPL_IF THRESH_VOLUME> volume: <TMPL_VAR NAME='THRESH_VOLUME' ESCAPE='HTML'></TMPL_IF>

```

```

<TMPL_IF THRESH_ISSUE> issue:<TMPL_VAR NAME='THRESH_ISSUE'
ESCAPE='HTML'></TMPL_IF>
    </td>
</tr>
</TMPL_IF>
<TMPL_IF THRESH_UPPER_LIMIT>
    <TMPL_IF INCLUDED>until (and including) <TMPL_ELSE>until (not including)
</TMPL_IF>
    <TMPL_IF THRESH_YEAR><TMPL_VAR NAME='THRESH_YEAR'
ESCAPE='HTML'></TMPL_IF>
        <TMPL_IF THRESH_VOLUME> volume: <TMPL_VAR NAME='THRESH_VOLUME'
ESCAPE='HTML'></TMPL_IF>
            <TMPL_IF THRESH_ISSUE> issue:<TMPL_VAR NAME='THRESH_ISSUE'
ESCAPE='HTML'></TMPL_IF>
                </td>
            </tr>
        </TMPL_IF>
    </TMPL_IF>
    <TMPL_IF THRESH_EQUAL>
        <tr class="Block" style="padding-left: 14px;">
            <td nowrap style="padding-left:10px">
                Available in
                <TMPL_IF THRESH_YEAR><TMPL_VAR NAME='THRESH_YEAR'
ESCAPE='HTML'></TMPL_IF>
                    <TMPL_IF THRESH_VOLUME> volume: <TMPL_VAR NAME='THRESH_VOLUME'
ESCAPE='HTML'></TMPL_IF>
                        <TMPL_IF THRESH_ISSUE> issue:<TMPL_VAR NAME='THRESH_ISSUE'
ESCAPE='HTML'></TMPL_IF>
                            </td>
                        </tr>
                    </TMPL_IF>
                </TMPL_LOOP>

```

File: templates/azlist_ver3/object_thresholds.tmpl

Edit this function, the code marked in green.

```

<TMPL_LOOP PARSE_DATE>
<TMPL_IF THRESH_GREATOR>
<TMPL_IF THRESH_UNRELATED>
<tr>
<td nowrap>
    <TMPL_IF INCLUDED><TMPL_VAR ESCAPE=HTML
NAME='MESSAGE("Availability","AvailableFrom")'>
        <TMPL_ELSE><TMPL_VAR ESCAPE=HTML
NAME='MESSAGE("Availability","AvailableAfter")'></TMPL_IF>
        <TMPL_IF THRESH_YEAR><TMPL_VAR NAME='THRESH_YEAR'></TMPL_IF>
        <TMPL_IF THRESH_VOLUME> <TMPL_VAR NAME='MESSAGE("Availability","Volume")'>:
<TMPL_VAR NAME='THRESH_VOLUME'></TMPL_IF>
        <TMPL_IF THRESH_ISSUE> <TMPL_VAR NAME='MESSAGE("Availability","Issue")'>: <TMPL_VAR
NAME='THRESH_ISSUE'></TMPL_IF>

```

```

        </td>
    </tr>
</TMPL_IF>
<TMPL_IF THRESH_LOWER_LIMIT>
    <tr>
        <td nowrap>
            <TMPL_IF INCLUDED><TMPL_VAR ESCAPE=HTML
NAME='MESSAGE("Availability","AvailableFrom")'>
                <TMPL_ELSE><TMPL_VAR ESCAPE=HTML
NAME='MESSAGE("Availability","AvailableAfter")'></TMPL_IF>
                    <TMPL_IF THRESH_YEAR><TMPL_VAR NAME='THRESH_YEAR'></TMPL_IF>
                    <TMPL_IF THRESH_VOLUME> <TMPL_VAR NAME='MESSAGE("Availability","Volume")':>
<TMPL_VAR NAME='THRESH_VOLUME'></TMPL_IF>
                    <TMPL_IF THRESH_ISSUE> <TMPL_VAR NAME='MESSAGE("Availability","Issue")'>: <TMPL_VAR
NAME='THRESH_ISSUE'></TMPL_IF>
            </TMPL_IF>
        </td>
    </tr>
</TMPL_IF>

<TMPL_IF THRESH_LESS>
<TMPL_IF THRESH_UNRELATED>
    <tr>
        <td nowrap>
            <TMPL_IF INCLUDED><TMPL_VAR ESCAPE=HTML
NAME='MESSAGE("Availability","AvailableUntilIncluding")'>
                <TMPL_ELSE><TMPL_VAR ESCAPE=HTML
NAME='MESSAGE("Availability","AvailableUntilNotIncluding")'></TMPL_IF>
                    <TMPL_IF THRESH_YEAR><TMPL_VAR NAME='THRESH_YEAR'></TMPL_IF>
                    <TMPL_IF THRESH_VOLUME> <TMPL_VAR NAME='MESSAGE("Availability","Volume")':>
<TMPL_VAR NAME='THRESH_VOLUME'></TMPL_IF>
                    <TMPL_IF THRESH_ISSUE> <TMPL_VAR NAME='MESSAGE("Availability","Issue")'>: <TMPL_VAR
NAME='THRESH_ISSUE'></TMPL_IF>
            </td>
        </tr>
    </TMPL_IF>
    <TMPL_IF THRESH_UPPER_LIMIT>
        <TMPL_IF INCLUDED><TMPL_VAR ESCAPE=HTML
NAME='MESSAGE("Availability","UntilIncluding")'>
            <TMPL_ELSE><TMPL_VAR ESCAPE=HTML
NAME='MESSAGE("Availability","UntilNotIncluding")'></TMPL_IF>
                <TMPL_IF THRESH_YEAR><TMPL_VAR NAME='THRESH_YEAR'></TMPL_IF>
                <TMPL_IF THRESH_VOLUME> <TMPL_VAR NAME='MESSAGE("Availability","Volume")':>
<TMPL_VAR NAME='THRESH_VOLUME'></TMPL_IF>
                <TMPL_IF THRESH_ISSUE> <TMPL_VAR NAME='MESSAGE("Availability","Issue")'>: <TMPL_VAR
NAME='THRESH_ISSUE'></TMPL_IF>
            </td>
        </tr>
    </TMPL_IF>
</TMPL_IF>
<TMPL_IF THRESH_EQUAL>
    <tr>
        <td nowrap>
            <TMPL_VAR NAME='MESSAGE("Availability","AvailableIn")' ESCAPE=HTML>
            <TMPL_IF THRESH_YEAR><TMPL_VAR NAME='THRESH_YEAR' ESCAPE='HTML'></TMPL_IF>

```

```

        <TMPL_IF THRESH_VOLUME> <TMPL_VAR NAME='MESSAGE("Availability","Volume")'>
<TMPL_VAR NAME='THRESH_VOLUME' ESCAPE='HTML'></TMPL_IF>
        <TMPL_IF THRESH_ISSUE> <TMPL_VAR NAME='MESSAGE("Availability","Issue")'>: <TMPL_VAR
NAME='THRESH_ISSUE' ESCAPE='HTML'></TMPL_IF>
        </td>
    </tr>
</TMPL_IF>

</TMPL_LOOP>

```

3. Capture Citation target template changes

File: templates/targets/capture_citation/capture_citation.tmpl

Find at the end:

```
</table>
</BODY>
</HTML>
```

Replace: </table>

With:

```

<TMPL_IF IS_MLA>
<tr>
    <td>
        <div style="width:760px"><font size=2>The MLA style requires
the medium of publication to be included in the citation as either 'Web' (for
electronic sources)
or 'Print' (for print sources). Please change your citation to include 'Print'
instead of 'Web' if needed.</font></div>
    </td>
</tr>
</TMPL_IF>
</table>
<div style="margin-top:20px; width:760px"><font size=2>It is recommended to
check that the citation is complete and correctly formatted, as some citation
elements may not have been available to SFX.</font></div>

```