

Aleph and e-Payments

Version 18 and later



CONFIDENTIAL INFORMATION

The information herein is the property of Ex Libris Ltd. or its affiliates and any misuse or abuse will result in economic loss. DO NOT COPY UNLESS YOU HAVE BEEN GIVEN SPECIFIC WRITTEN AUTHORIZATION FROM EX LIBRIS LTD.

This document is provided for limited and restricted purposes in accordance with a binding contract with Ex Libris Ltd. or an affiliate. The information herein includes trade secrets and is confidential.

DISCLAIMER

The information in this document will be subject to periodic change and updating. Please confirm that you have the most current documentation. There are no warranties of any kind, express or implied, provided in this documentation, other than those expressly agreed upon in the applicable Ex Libris contract. This information is provided AS IS. Unless otherwise agreed, Ex Libris shall not be liable for any damages for use of this document, including, without limitation, consequential, punitive, indirect or direct damages.

Any references in this document to third-party material (including third-party Web sites) are provided for convenience only and do not in any manner serve as an endorsement of that third-party material or those Web sites. The third-party materials are not part of the materials for this Ex Libris product and Ex Libris has no liability for such materials.

TRADEMARKS

"Ex Libris," the Ex Libris bridge, Primo, Aleph, Alephino, Voyager, SFX, MetaLib, Verde, DigiTool, Preservation, URM, Voyager, ENCompass, Endeavor eZConnect, WebVoyage, Citation Server, LinkFinder and LinkFinder Plus, and other marks are trademarks or registered trademarks of Ex Libris Ltd. or its affiliates.

The absence of a name or logo in this list does not constitute a waiver of any and all intellectual property rights that Ex Libris Ltd. or its affiliates have established in any of its products, features, or service names or logos.

Trademarks of various third-party products, which may include the following, are referenced in this documentation. Ex Libris does not claim any rights in these trademarks. Use of these marks does not imply endorsement by Ex Libris of these third-party products, or endorsement by these third parties of Ex Libris products.

Oracle is a registered trademark of Oracle Corporation.

UNIX is a registered trademark in the United States and other countries, licensed exclusively through X/Open Company Ltd.

Microsoft, the Microsoft logo, MS, MS-DOS, Microsoft PowerPoint, Visual Basic, Visual C++, Win32,

Microsoft Windows, the Windows logo, Microsoft Notepad, Microsoft Windows Explorer, Microsoft Internet Explorer, and Windows NT are registered trademarks and ActiveX is a trademark of the Microsoft Corporation in the United States and/or other countries.

Unicode and the Unicode logo are registered trademarks of Unicode, Inc.

Google is a registered trademark of Google, Inc.

Copyright Ex Libris Limited, 2010. All rights reserved.

Document released: May 25, 2010

Web address: http://www.exlibrisgroup.com



Table of Contents

1	OVERVIEW					
2	SEL	F-SERVICE E-PAYMENT KIOSK	4			
	2.1	SIP2 messages mapping (messages 93, 94)	6			
	2.2	SIP2 messages mapping (SIP2 messages 63, 64)	7			
	2.3	SIP2 messages mapping (SIP2 messages 37, 38)	9			
3	PAY	MENT VIA ALEPH GUI STAFF USER	12			
	3.1	Setting up tab_external_program	13			
4	GLO	OSSARY	14			



1 Overview

ALEPH enables library patrons to make electronic payments (e-payments) for fines via external e-payment components. There are two different types of e-payment components:

- Self-service e-payment machines ("kiosks") which enable patrons to pay their fines themselves cashlessly.
- ALEPH GUIs which allow library staff to execute payments cashlessly

An ALEPH site can use either type of component or a combination of both, depending on the policy of the library and the third party software supplied.

2 Self-service e-Payment Kiosk



Figure 1 e-Payment kiosk in use

The following workflow shows the interaction between the e-Payment kiosk and ALEPH:






Figure 2 e-Payment kiosk workflow



2.1 SIP2 messages mapping (messages 93, 94)

Note

Fields which ALEPH supports are highlighted. Customized (non-standard SIP2-) fields appear in **bold**.

SIP2 messages 93 and 94 allow the e-Payment kiosk to establish a connection to ALEPH, using an authentication mechanism similar to Self-Check machines.

SIP2 Message 93 – Login

This message can be used to login to an ACS server program. The ACS should respond with the Login Response message. Whether to use this message or to use some other mechanism to login to the ACS is configurable in the SC. When this message is used, it will be the first message sent to the ACS.

<UID algorithm><PWD algorithm><login user id><login password><location code>

Message 93 fields	Code	ALEPH Mapping	SIP2 Standard?	Remarks
UID algorithm			Y	Optional Field. To leave blank
PWD algorithm			Y	Optional Field. To leave blank
Login user id			Y	e-Payment Kiosk login ID. E.g. KIOSK0001
Login password			Y	e-Payment Kiosk login password
Location code			Y	Optional Field. To leave blank

SIP2 Message 94 – Login Response

The ACS should send this message in response to the Login message. When this message is used, it will be the first message sent to the SC.

<OK>

Message 94 fields	Code	ALEPH Mapping	SIP2 Standard?	Remarks
OK			Y	0 or 1.



2.2 SIP2 messages mapping (SIP2 messages 63, 64)

Note

Fields which ALEPH supports are highlighted. Customized (non-standard SIP2-) fields appear in **bold**.

SIP2 messages 63 and 64 are used for the e-Payment Kiosk to query user information via message 63 and for ALEPH to respond with the patron's information via message 64.

SIP2 Message 63 – Patron Information

This message is a superset of the Patron Status Request message. It should be used to request patron information. The ACS should respond with the Patron Information Response message

<language><transaction date><summary><institution id><patron
identifier><terminal password><patron password><start item><end item>

Message 63	Code	ALEPH Mapping	SIP2	Remarks
fields			Standard?	
Language			Y	
Transaction			Y	
Date				
Summary			Y	Optional Field. To leave
				blank
Institution ID	AO	Z31_SUB_LIBRARY	Y	
Patron Identifier	AA	Z308_REC_KEY	Y	Patron Barcode. Z308 type
			_	<mark>'01'.</mark>
Terminal	AC		Y	Optional Field. To leave
Password				blank
Patron Password	AD	Z308_VERIFICATION	Y	Patron PIN. Z308 type
			_	<mark>'01'</mark>
Start Item	BP		Y	Optional Field. To leave
				blank
End Item	BQ		Y	Optional Field. To leave
				blank

SIP2 Message 64 – Patron Information Response

The ACS must send this message in response to the Patron Information message

<patron status><language><transaction date><hold items count><overdue items
count><charged items count><fine items count><recall items count><unavailable
holds count><institution id><patron identifier><personal name><hold items
limit><overdue items limit><charged items limit><valid patron><valid patron
password><currency type><fee amount><fee limit><items><home address><e-mail
address><home phone number><screen message><print line>

Message 64	Code	ALEPH Mapping	SIP2	Remarks
fields			Standard?	
Patron Status			Y	
Language			Y	
Transaction			Y	
Date				
Hold Items			Y	
Count				
Overdue Items			Y	Optional Field. To leave blank
Count				•



	ı	Т	Т = =	T =
Charged Items Count			Y	Optional Field. To leave blank
Fine Items			Y	Optional Field. To leave blank
Count			1	Optional Field. To leave blank
Recall Items			Y	Optional Field. To leave blank
Count				-
Unavailable			Y	Optional Field. To leave blank
Holds Count Institution ID	AO	721 CUD LIDDADY	X7	
Patron	AA	Z31_SUB_LIBRARY Z308_REC_KEY	Y Y	
Identifier	AA	Z300_REC_RE1	I	
Personal	AE	Z303_NAME	Y	
Name .			_	
Hold Items	BZ		Y	Optional Field. To leave blank
Limit	a.			
Overdue Items Limit	CA		Y	Optional Field. To leave blank
Charged Items	СВ		Y	Optional Field. To leave blank
Limit	СБ		1	Optional Field. To leave blank
Valid Patron	BL		Y	Y/N.
Valid Patron	CQ		Y	<u>Y/N.</u>
Password Password			_	
Currency	BH		Y	Optional Field. To leave blank
Type	DI		**	
Fee Amount	BV		Y	Optional Field. To leave blank
Fee Limit	CC		Y	Optional Field. To leave blank
Hold Items	AS		Y	Optional Field. To leave blank
Overdue Items	AT		Y	Optional Field. To leave blank
Message 64	Code	ALEPH Mapping	SIP2	Remarks
fields	Couc	iiiiii ii ivanpping	Standard?	
Fine Items	AV		Y	Optional Field. To leave blank
				1
Recall Items	BU		Y	Optional Field. To leave blank
Unavailable	CD		Y	Optional Field. To leave blank
hold items		7204		
Home Address	BD	Z304_ADDRESS	Y	
E-mail	BE	Z304_EMAIL_ADDRESS	Y	
Address		2001_EMINID_NDDINESS	1	
Home Phone Number	BF	Z304_TELEPHONE	Y	
Screen	AF		Y	
<mark>Message</mark>	AF		Y	
Message Print line			Y	
Message Print line Payment	AF AG EB	Z30_Barcode	Y Y N - new	Multiple and repeating.
Message Print line	AF AG EB ET	Z30_Barcode XXX01.Z13.Z13_TITLE	Y	Fields sent for each fine
Message Print line Payment	AG EB ET EC	Z30_Barcode XXX01.Z13.Z13_TITLE Z31_TYPE	Y Y N - new	Fields sent for each fine item.
Message Print line Payment	AF AG EB ET EC EN	Z30_Barcode XXX01.Z13.Z13_TITLE Z31_TYPE Z31_NET_SUM	Y Y N - new	Fields sent for each fine item. Condition: Z31_STATUS =
Message Print line Payment	AF AG EB ET EC EN EV	Z30_Barcode XXX01.Z13.Z13_TITLE Z31_TYPE Z31_NET_SUM Z31_GST_SUM	Y Y N - new	Fields sent for each fine item. Condition: Z31_STATUS = 'O' and
Message Print line Payment	AF EB ET EC EN EV EF	Z30_Barcode XXX01.Z13.Z13_TITLE Z31_TYPE Z31_NET_SUM Z31_GST_SUM Z31_SUM	Y Y N - new	Fields sent for each fine item. Condition: Z31_STATUS = 'O' and Z31_CREDIT_DEBIT = 'D'
Message Print line Payment	AF AG EB ET EC EN EV	Z30_Barcode XXX01.Z13.Z13_TITLE Z31_TYPE Z31_NET_SUM Z31_GST_SUM	Y Y N - new	Fields sent for each fine item. Condition: Z31_STATUS = 'O' and Z31_CREDIT_DEBIT = 'D' Note: Fields EB and ET are
Message Print line Payment	AF EB ET EC EN EV EF	Z30_Barcode XXX01.Z13.Z13_TITLE Z31_TYPE Z31_NET_SUM Z31_GST_SUM Z31_SUM	Y Y N - new	Fields sent for each fine item. Condition: Z31_STATUS = 'O' and Z31_CREDIT_DEBIT = 'D' Note: Fields EB and ET are only sent by Aleph when an
Message Print line Payment	AF EB ET EC EN EV EF	Z30_Barcode XXX01.Z13.Z13_TITLE Z31_TYPE Z31_NET_SUM Z31_GST_SUM Z31_SUM	Y Y N - new	Fields sent for each fine item. Condition: Z31_STATUS = 'O' and Z31_CREDIT_DEBIT = 'D' Note: Fields EB and ET are



2.3 SIP2 messages mapping (SIP2 messages 37, 38)

Note

Fields which ALEPH supports are highlighted. Customized (non-standard SIP2-) fields appear in **bold**.

SIP2 messages 37 and 38 are used for the e-Payment Kiosk to inform ALEPH about the committed transaction (via message 37) and for ALEPH to return the ALEPH receipt number via message 38.

If in a message 37 (fee paid) sent by a machine, the sum in field BV differs from the sum of Z31-records that are sent in the same message (field EK for each Z31-record) a partial payment will automatically be done.

Note

It is not possible to create credit via SIP2. That means that if the sum in BV is higher than the sum of Z31-records the transaction will be canceled and an error message will appear.

SIP2 Message 37 – Fee Paid

This message can be used to notify the ACS that a fee has been collected from the patron. The ACS should record this information in their database and respond with a Fee Paid Response message

<transaction date><fee type><payment type><fee amount><institution id><patron identifier><terminal password><patron password><fee identifier><transaction id>

Message 37	Code	ALEPH Mapping	SIP2	Remarks
fields			Standard?	
Transaction date		Z31_PAYMENT_DATE_KEY	Y	ALEPH to update Z31_PAYMENT_DATE_KEY with the Transaction Date for each Z31_REC_KEY record sent as AVK below.
Fee Type			Y	Optional Field. To leave blank
Payment Type		Z31_PAYMENT_MODE	Y	NETS / CASHCARD / EZLINK ALEPH to update Z31_PAYMENT_MODE with the Payment Type information for each Z31_REC_KEY record.
Currency Type			Y	Optional Field. To leave blank
Fee Amount	BV		Y	Optional Field. To leave blank
Institution ID	AO	Z31_SUB_LIBRARY	Y	
Patron Identifier	AA	Z308_REC_KEY	Y	
Terminal Password	AC		Y	Optional Field. To leave blank
Patron Password	AD	Z308_VERIFICATION	Y	
Fee Identifier	CG		Y	Optional Field. To leave blank



Transaction ID	BK		Y	Optional Field. To leave blank
E-Transaction ID	BZ EK	Z31_EPAYMENT_ID Z31_REC_KEY	N – new field	Multiple and repeating. BZ consist of a combination of Kiosk transaction ID [varchar(10)] and NETS Transaction ID [varchar(20)]. Field sent for each charge items that the patron paid. EK represents the Z31_REC_KEY of the charge items that the patrons paid. Field sent for each charge items that the patrons paid. Field sent for each charge items that the patron paid. ALEPH to update Z31_EPAYMENT_ID with the Transaction ID for each Z31_REC_KEY sent as EK.
Terminal IP	EI	Z31_PAYMENT_IP	N – new field	IP address of the Kiosk performing the transaction. ALEPH to update Z31_PAYMENT_IP information with Terminal IP information for each Z31_REC_KEY sent as EK.
Terminal Login ID	EA	Z31_PAYMENT_CATALOGER	N – new field	Login ID of the terminal. (Login ID of counter staff if transaction done over the counter) ALEPH to update Z31_PAYMENT_CATALOGER information with Terminal Login ID for each Z31_REC_KEY sent as EK.

SIP2 Message 38 – Fee Paid Response

The ACS must send this message in response to the Fee Paid message

 $<\!\!\!\text{payment accepted}\!\!>\!\!<\!\!\!\text{transaction date}\!\!>\!\!<\!\!\!\text{institution id}\!\!>\!\!<\!\!\!\text{patron identifier}\!\!>\!\!<\!\!\!\text{transaction}$

id><screen message><print line>

Message 38 fields	Code	ALEPH Mapping	SIP2 Standard?	Remarks
Payment Accepted			Y	Y/N
Transaction Date		Z31_PAYMENT_DATE_KEY	Y	
Institution ID	AO	Z31_SUB_LIBRARY	Y	
Patron Identifier	AA	Z308_REC_KEY	Y	
Transaction ID	BK		Y	
Screen Message	AF		Y	Optional Field. To leave blank
Print Line	AG		Y	Optional Field. To leave blank
E- Transaction ID	BZ ER	Z31_EPAYMENT_ID Z31_PAYMENT_RECEIPT NUMBER	N - New	Multiple and Repeating. Transaction ID of the committed



	transaction. Field sent for each committed transaction.
	ER is the ALEPH Receipt Number.
	e-Payment Kiosk to update its transaction table with the ALEPH
	Receipt Number



3 Payment via ALEPH GUI Staff User




Figure 3 Workflow of ALEPH staff user processing e-Payment



3.1 Setting up tab_external_program

To enable the connection between your ALEPH GUI and the external program, the \$alephe_tab/tab_external_program table has to be configured correctly.

Example:

Column 1: program identifier

Column 2: external program (should be located in \$aleph_ext)

Column 3: parameters; parameters can be fields from the Oracle Z tables key parameters (client-ip-address) or constants

The external program should be able to read the information from STDIN. The reply (STDOUT) can contain values: Reply value (numeric, two digits) and a reply message.

Example:

```
#!/exlibris/aleph/a16_1/product/bin/perl
# Reading parameter
$z31_rec_key=<STDIN>;
$z31_net_sum=<STDIN>;
$z31_gst_sum=<STDIN>;
$z31_sum=<STDIN>;
$z31_sub_library=<STDIN>;
$client_ip_address=<STDIN>;
.
.
.
# Reply
printf("00\n"); # Error code
printf"("Cash performed\n"); # Error message
```



4 Glossary

Term	Explanation
Cashcard	This a stored value card where payment is deducted directly from the cash stored in the card. No online transaction with a clearing house is involved.
e-Payment Kiosk	A standalone machine where patron will perform self service cashless payment. This kiosk is like the 3M Self-Check machine where it will communicate with ALEPH via a protocol to update the charge information.
Ez-Link	This is another stored value card similar to Cashcard.
NETS	A clearing house for electronic payments. A NETS transaction is an online debit transaction. Payment with NETS will have an e-Payment transaction number.
Self-Check machine	The 3M Self-Check machine for loan/renewal/returns using SIP1/SIP2 protocol to communicate with ALEPH via the SIP server
SIP2 message	SIP2 protocol from 3M

