

ExLibris Voyager

Release:

8.2.2

Highlights:

This release contains bug fixes for various Voyager modules.



General documentation for this release:

<http://www.customercenter.exlibrisgroup.com>

KB Number	Description	Solution	Implementation Notes	Related Documentation	Module	Issue Number
16384-50899	There is no vxws setup for 102X codes that pull serials receipt data from Acquisitions.	Add the 102X and 104X serial issues information to the holdings display for VXWS Ovp.	Changes were made to the <i>OPAC_in_primoHoldings.xml</i> and <i>transformOPACInPrimoHoldings.xml</i> files. See skin changes document for 8.2.2. Note: <i>transformIndexHoldings.xml</i> and <i>transformSupplementHoldings.xml</i> are new in 8.2.2.		Interoperability (Voy)	16384-19777
16384-20754	If a single record displays in the Browse Titles Index screen (long title), when the user clicks on the down button to go to the next set of call numbers in the index, the user will be placed in the incorrect position in the index.	Corrected code that tests if browse has reached the end of the results set so it does not report false positives that cause search results to disappear. Also corrected column sizing issue to prevent titles from being too big to fit into the results grid.			General (Voyager)	16384-8513
16384-49347	When trying to print suppressed records on a course reserve list, users receive a 'No records were selected.' message.	Add code to allow records to be printed/exported/emailed from a course reserve search as originally intended. The problem amounted to the code not retaining the type of search that was executed when it was trying to display on or from the print dialog page.			OPAC	16384-19394
16384-31554	Records from the deleted.bib.marc file do extract, but there is nothing in the header to indicate that the record was deleted.	Added status attribute with value <i>deleted</i> to header element when record is deleted.			Interoperability (Voy)	16384-12257
16384-55521	Existing value in MISCELLANEOUS.OPER_EXPIRE_DAYS maps ## into the CONTROL_VALUE field for CONTROL_NAME passwordMaximumAge in the CONTROL_TABLE.	Modified line in upgrade script that copies value from <i>MISCELLANEOUS.oper_expire_days</i> to <i>CONTROL_TABLE</i> value for <i>passwordMaximumAge</i> . The previous line would insert ## if the <i>oper_expire_days</i> value was more than one digit.			General (Voyager)	16384-20849
16384-3008	When using the OPAC Names Headings search in Cataloging, Acquisitions, Circulation, you sometimes get hits in the Headings List for records that are suppressed in the OPAC, whether you are doing a Find or a Browse.	Check for the OPAC heading search codes and suppress bibs if found.			Cataloging	17613
16384-56113 16384-56321	The Bib ID for bibliographic records is not included in the persistent link URL, resulting in a persistent link with no record specified.	Modify section 17 of the WebVoyage Architecture Config.pdf document.	Section 17 of the WebVoyage Architecture Config.pdf document.		OPAC	16384-21009
16384-56658	The number of copies ordered per line item in the PO is equal to the number of items created for that record during bulk import. The default number for the number of copies per line item should be used instead.	Use the default copy count from the orders in the bulk import rule when creating PO/MFHD/items if the input MARC record does not have the copy count specified by tag/subfield in bulk import rule.			Batch jobs	16384-21105
16384-56325	When you set up a redirect on call number, the URL that's constructed includes spaces, and uses the call number rather than the specified search code for the searchCode=parameter.	In <i>display.xml</i> , created a variable for a URL-encoded redirect search code and then used it in creating the search code portion of the redirect link.	Changes were made to the <i>display.xml</i> file. See skin changes document for 8.2.2.		OPAC	16384-21041
16384-49298	The running time calculation is subtracting the end timestamp from the start timestamp without regard for the date.	Format elapsed time including days.			Global Data Change	16384-15793
16384-3137	Customer reported that they found the Regional Settings to be set for a 24 hour clock (HH:mm:ss) and not 12 hour (hh:mm:ss) as we have in our Regional Settings. If the clock is changed from 24 to 12 hours the modify time is 11:59 PM. If the Regional Settings are set for a 24 hour clock HH:mm:ss the modify time is 11:59 AM.	Use 24-hour time format to preload return time. The control displaying the time adjusts automatically for 12 versus 24 time format.			Circulation	15890
16384-54498	Changing page.printResults lines in webvoyage.properties has no effect on OPAC print results screen.	Code was added to allow a page title to display correctly in the browser title bar. Code was also added to allow a page heading to be rendered in the page document body of the print results page.			OPAC	16384-20530

KB Number	Description	Solution	Implementation Notes	Related Documentation	Module	Issue Number
16384-54497	Emails received of OPAC search results lack "To: <address>" in header.	Modified code to populate the To: field with email addresses that were filled in in the email form in the web user interface.			OPAC	16384-20497
16384-26338	When running a search in the OPAC with relevance turned on, the sort order of results by relevance is not consistent after choosing a different sort method.	Maintain order of relevance ranked results by putting results in ascending order by Bib ID and then sorting by same method as originally used by keyword server.			OPAC	16384-10209
16384-24260	If an operator specifies an operator id that exceeds the allowed number of characters, catjob 13 completes successfully but stores either a null value or an abbreviated version of the id entered.	Provide warning to the user that the operator will only be accepted if it is 10 characters or less. The field is still optional.			Batch jobs	16384-9714
16384-60209	CHARGE_OPER_ID and DISCHARGE_OPER_ID are not always recorded.	Repaired code that was causing the client operator ID to disappear when handling call slip requests.			Reporter	16384-21601
16384-53234	If a patron places a hold request with an expiration/not needed after date that is today's date, the Hold Per Item API does not submit a time with the date, and the expiration is recorded as [today's date] 00:00:00 in the Voyager database.	Modified code to set <i>not needed after/expire date</i> to end of day 23:59:59 rather than beginning of day 00:00:00 which was causing the problem.			General (Voyager)	16384-20337
16384-38178	In Firefox, selecting a charged item from a UB database results in an item from the patron's home database also being selected.	Modified code to make each check box input ID unique for charged items to allow browsers to make the correct selections.	Changes were made to the <i>cl_myAccount.xsl</i> file. See skin changes document for 8.2.2.		OPAC	16384-15441
16384-24451	Highlighting of suppressed bib records disappears from Titles Index when operator returns to list and selects another record after viewing one item record from list.	Fixed code in <i>Voyager.dll</i> that was resetting the suppressed record highlighting colors after every search or index view. Removed now-unnecessary code from clients that was setting suppressed record highlighting colors before every search or index view. Also made sure that suppressed record highlighting colors are set on client startup and after changing preferences.			Circulation	16384-9793
16384-36546	If you add or delete a reference from an authority record, the referenced authority will not display subfield separators in the headings list.	Transform the alternative display heading with subfield separators if the condition applies.			Cataloging	16384-14017
16384-54387 16384-54503	2 of the 3 URLs returned by the Patron API are valid API calls for additional patron information.	Removed <i>Records</i> element from the patron web service output and updated EL Commons <i>patron/patronId</i> web service output example.			General (Voyager)	16384-20577
16384-21505	When the item is charged from the Patron Request Information screen, the PATRON_ID_PROXY is populated in CIRC_TRANSACTIONS with the same id as the PATRON_ID.	Modified the code so as not to set proxy patron to charging patron. Also included a cleanup script to reset <i>patron_id_proxy</i> to 0 where <i>patron_id_proxy = patron_id</i> in <i>circ_transactions</i> and <i>circ_trans_archive</i> tables.			Circulation	16384-8690
16384-52561 16384-53942	If a proxy barcode is deleted, the sponsor barcode is orphaned.	When deleting a patron barcode, we were only removing unexpired proxies of the selected barcode. Fixed code to remove all proxies and sponsors of the selected barcode, including expired proxy relationships.			Circulation	16384-20145
16384-56435	Creating patron records via the Patron Self-Registration form results in the following fields being duplicated in the database (one set for address_line1 and one set for the e-mail address): patron_address.city, patron_address.state_province, patron_address.zip_postal, and patron_address.country.	Modified the Circulation <i>Add Patron</i> API to not add email addresses, with city, state, zip and country. Additionally modified code to not use empty spaces for other address fields and for email type addresses to more closely match the <i>add patron</i> functionality in Circulation.			Patron Self-Registration	16384-21073

KB Number	Description	Solution	Implementation Notes	Related Documentation	Module	Issue Number
16384-55816	When a record in the deleted.bib.marc file does not have an 001, the extract either fails to process the deleted.bib.marc file or only processes records in the file before it gets to the record with no 001.	Catch all the exceptions during the delete bib processing, log the error, and skip to process the next bib.			Interoperability (Voy)	16384-20993
16384-44002	Loans with an indefinite due date display as being due on 12-31-2382.	In the Circulation client, if date is <i>Indefinite</i> , do not append the time to the display string. In WebVoyage My Account page, if date is the signal value, show it as <i>Indefinite</i> instead of the actual date. In OvP, if the due date or original due date is the signal value, show it as <i>Indefinite</i> instead of the actual date.			OPAC	16384-17393
16384-55601	Call Slip fails to send e-mail notification to patron if patron's e-mail address includes an apostrophe; gives error message: "Email failed for patron at : firstname.o.lastname@school.edu"	Recoded the ValidEmailAddress(...) method to more closely reflect the current standards for email addresses. This includes the fact that the apostrophe is a valid character in the local portion of an email address.			Call Slip	16384-20802
16384-58529	Call Slip gives "Relink Only Failure" when try to process relinked item and does not process Call Slip.	Fixed code so that when the Link Item dialog is used only for item barcode validation. It does not result in a relink request since the call slip is not being relinked to a new item if the validated barcode is correct for the current call slip.			Call Slip	16384-21409
16384-55602	Owning Library does not display in the Titles List for records that have been processed by a GDC Data Change Job when they're searched.	Use the existing bib owning library for GDC data change and index only job.			Global Data Change (GDC)	16384-20817
16384-56326	Some valid Voyager database characters are incorrectly translated when exported via Pmarcexport to MARC21 MARC-8.	The MARC 8 encoding for the Alif character was changed from 02BE to 02BC as per the instructions in the following document: http://www.loc.gov/marc/marbi/2005/2005-05.html . This will allow the insertion of the new character, modifier upper apostrophe to be entered instead of the modifier left right half ring. The mapping used by the server had been changed a few releases ago but the Cataloging client still allowed the entry of the old character. This, however, does not solve the problem with exporting records which still have the old encoded character. The warning will only go away after the now deprecated character has been modified and saved to the database.	The <i>Special Characters.cfg</i> was modified and needs to be installed with the clients.		Batch jobs	16384-21057
16384-55603	Patron purge (Circjob 39) gets hung up on patron records that have 24 or more barcodes, resulting in an Abort(coredump) error.	Allow room for storing multiple patron barcodes which will allow patron deletes to complete successfully.			Batch jobs	16384-20865
16384-58962	Item status in Print, Export and Email displays "No information available" even if status information shows in OPAC.	Corrected method signatures in interface and implementation so the method that populates item status gets called.			OPAC	16384-21473
16384-11186	If the "Attach Holding to any Bibliographic Records" option is not checked, then the "re-link holding to bibliographic" menu item is grayed out. There is no chance to even test against location.	Fixed code so that the <i>Relink holding to bibliographic...</i> menu item for a holdings record in the Cataloging client is not disabled when the Attach Holdings to Any Bibliographic Record option is unchecked in a Cataloging Profile in the SysAdmin client.			Cataloging	16384-3441
16384-18433	Historical Reserve Charges counter increments by one just by setting the item to On Reserve, and is "not" incremented by the amount stored in Reserve Charges when the item is removed from reserve.	SQL query for historical reserve charges was doing a row count instead of a sum of the <i>reserve_charges</i> for the item in <i>reserve_item_history</i> . Fixed the query.			Circulation	16384-7425

KB Number	Description	Solution	Implementation Notes	Related Documentation	Module	Issue Number
16384-40210	GDC cannot alter records with invalid MARC data or retrieve them for preview.	Create a new MarcReader implementation that will repair bad leader data when possible. Replace existing calls with the new implementation instead of the default from the Marc4j library. For bad leader data repair, if bytes 10 or 11 cannot be parsed due to invalid MARC data (such as space instead of a number), force the expected value 2 into the parsed record.			Global Data Change (GDC)	16384-15939
16384-43793	The -mS parameter (export MARC records that have been suppressed) used in conjunction with the -rH (record type of MFHD) in marcexport does not export MFHDs that are suppressed.	Modified query construction for suppressed records query so that it will work with either BIB or MFHD records.			Batch jobs	16384-17378
16384-28881	When calling the 3500 display code, all linked records will be displayed and there is no way to separate them based on profile.	Added logic to allow related records to be grouped by profiles.	Changes were made to <i>displayCommon.css</i> , <i>displaycfg.xml</i> , and <i>display.xml</i> . See skin changes document for 8.2.2.		Opac	16384-11042
16384-42867	A query that includes LCCLASS_VW will randomly die with ORA-01722 invalid number.	Update the SQL for view creation to extract the call number from the <i>display call number</i> field instead of the normalized call number.			Oracle	16384-17089
16384-54979	Call Slips must be disabled for patron group in the item location's Circulation policy or the request will succeed even if call slips are not allowed for this patron group.	Check if the request is available for the patron group before allowing the patron to submit it. If the request is not available, an error code and message are returned.			Interoperability (Voy)	16384-20642
16384-3136	Credits for all Patron Groups and all locations are transferred when Bursar is run regardless of whether they are specified or not.	Filter bursar refund process based on input location and patron group configuration.			Circulation	15898
16384-16737	If the second level of enumeration in a pub pattern is Quarterly with combined months (Jan-Mar., etc.), the combined months do not collapse into the 86x subfields b and j.	Changed the collapse of serials in Acquisitions to use the textual description of chron values instead of the number representation for seasonal chronology. Changed the configuration to handle the textual representation of the chron values.	Changes were made to <i>WebVoyage-Tomcat/104X_display.xml</i> , <i>VoyagerXServices-Tomcat/104X_display.xml</i> , <i>VoyagerXServices-Tomcat/OPAC_in_primo_104X_display.xml</i> . See skin changes document for 8.2.2.		Acquisitions	16384-6593
16384-44546	The correct number of issues displays with the 1021 display code, but it displays the oldest issues marked to Display in OPAC in Acq, rather than the newest/most recent.	Display the most recent number of issues per component. First, find the total number of recent issues in the XML. The issues are presented in order of oldest first in the XML so the total is used to get to the number of most recent issues as specified by <i>numberOfIssuesToDisplayPerComponent</i> in <i>102X_config.xml</i> .	Changes were made to the <i>VoyagerXServices-Tomcat/102X_display.xml</i> file. See skin changes document for 8.2.2.		Installation	16384-17457
16384-55606	If multiple copies of a serial are received, and one copy is subsequently unreceived, other copies will not display in OPAC until the unreceived copy is received again.	Corrected the SQL queries to retrieve the received issues for the 1020 and 1021 displays.			Acquisitions	16384-20897
16384-33730	If a patron has no row for a particular remote db in <i>ub_patron_record</i> and that remote database no longer has a stub corresponding to the home patron, if there are rows in <i>ub_fine_fee</i> for that now nonexistent stub, <i>circjob 43</i> incorrectly leaves those rows in the database.	Delete records from <i>ub_fine_fee</i> if the patron has no stub patron record.			Voyager Universal Borrowing	16384-13169
16384-62849	When GDC rule consequence is DELETE, records are not deleted.	Create delete verifier required to check if the input <i>bib/auth/mfhd</i> can be deleted.			Cataloging	16384-21858
16384-3168	Overdue fines for recalls are incorrect.	Added missing code to <i>circjob</i> so that the functionality that calculates fines is aware that a particular item has been recalled.	Running <i>circjob 30</i> again after the fix has been installed will result in correct data.		Circulation	16384-450

KB Number	Description	Solution	Implementation Notes	Related Documentation	Module	Issue Number
16384-23889	When retrieving Authority records via Z39.50, the caption displays "Imported Remote Bib."	Set the caption derived from the remote search to reflect the type of record being imported by examining the record type byte in the leader.			Cataloging	16384-9538
16384-65793	Voyager should display a bib record for Primo even when the user in Primo is authenticated to a non-Voyager system. The situation is that Primo may have multiple library systems that it is servicing, for example ALEPH and Voyager. It will not be very common at all for a patron to be associated with both institutions/library systems, and if they are, they may indeed have two different authentication ID numbers. So if someone authenticates to ALEPH, they won't necessarily also be able to authenticate to Voyager (and vice versa).	Modified code to not throw a <i>ServletException</i> if the <i>bor-info</i> doc does not contain a lastname, password or institute element. Confirmed that downstream handling continues to work as expected without this data, with the same results as if the values do not resolve to a valid user in Voyager.			Interoperability (Voy)	16384-114
16384-55607	The \l substitution token is present in the holdings.item.status.9 line of webvoyage.properties, but the "route to" location for the "In Transit Discharged" item does not appear; instead, the location is omitted.	Augmented the <i>MFHD_ITEM</i> API with the <i>in transit</i> information.			OPAC	16384-20898
16384-54981	E-Kiosk postings are not included in the fines/fees sent by the Patron Circulation Actions – Debts API.	Every fine/fee transaction type is considered a credit except for BURSAR TRANSFER.			OPAC	16384-20673
16384-55813	Bulkimport stops load at records in a file with long 856 fields with no error message.	Increased the size of temporary variables to hold the item type, item barcode, call number, and location read from the input file. This accommodates those cases when the specified mapping field/subfield does not actually contain the expected data.			Cataloging	16384-20977
16384-54977	When the "equals" operator is used in a condition for a change rule, no change is applied.	Redefined <i>gdc.dsl</i> for <i>equals</i> conditions to declare field as well as subfield instances.			Global Data Change (GDC)	16384-20593
16384-38278	The \i substitution token does not display copy number for items in status patron group messages.	Added code to include the copy number in the enum/chron data which is used to replace the \i token.			OPAC	16384-15521
16384-38658	You are unable to continue paging through a list of results in the OPAC after saving items to your list if you are not first logged in.	Cannot replicate in 8.2.2.			OPAC	16384-15553
16384-33363	If the Quality Hierarchy has a 040a listed highest in the Hierarchy, and the incoming record has an 040 a the system will replace instead of bi-directional merge.	Cannot replicate in 8.2.2.			Cataloging	16384-12401
16384-51569	There is no exception type 43 in CIRC_TRANS_EXCEPT_TYPE table, even though this exception is valid and logged in CIRC_TRANS_EXCEPTION by the Circulation client.	Cannot replicate in 8.2.2.			Reporter	16384-20033
16384-3133	The \i token does not work for holdings.item.request.status.1 in webvoyage.properties	Cannot replicate in 8.2.2.			OPAC	17018
16384-35587	If a search is run on terms including an ampersand, the Edit function will take you back to the search page with the search terms filled out up to the ampersand. E.g., a search for "Texas A&M University" will return you with "Texas A"	Cannot replicate in 8.2.2.			OPAC	16384-13665
16384-60449	Some patrons cannot place Call Slip requests via OPAC.	Cannot replicate in 8.2.2.			OPAC	16384-21649