

## **Z353 – PATRON INDEX**

The Z353 table is one of the suite of tables that make up library patron information. It is used by the system when displaying the patron list and is used to identify which patrons should be displayed when the "Display Local Patrons Only" checkbox is checked. It contains data extracted from the Z303 and Z308 tables (ID, barcode, name, and ADM library).

The Z353 table must be included in the file\_list of the library defined for the usr\_library variable of the aleph\_start file.

Conversion is not applicable. The patron index is generated by running the Build Patron Indexes (cir-25) service. This service is available from the Patron Records option of the Services menu in the Circulation module.

In the following table, (X) denotes an alphanumeric field and (9) denotes a numeric field. All alphanumeric fields are left-aligned with trailing spaces, all numeric fields are right-aligned with leading zeros. Decimal positions are indicated by the symbol V. The total number of decimal digits is designated by the number of nines following the V.

02 Z353-REC-KEY	
03 Z353-LIBRARY	PICTURE $X(5)$ .
03 Z353-USER-LIBRARY	PICTURE $X(5)$ .
03 Z353-KEY-TYPE	PICTURE $X(5)$ .
03 Z353-KEY-DATA	PICTURE $X(100)$ .
02 Z353-ID	PICTURE $X(12)$ .

Z353-REC-KEY			
Z353-KEC-KET Z353-LIBRARY	0/	V(5)	<b>DESC:</b> In Z353 records built for the
LSSS-LIDKAK I	O/ M	X(5)	
	IVI		Global Patron List, this field is left blank.
			In Z353 records built for the display of
			the Local Patron List (the Display Local
			Patrons Only box is checked), this field
			contains the library code of the
			administrative library to which the patron
			belongs (for example, USM50).
Z353-USER-LIBRARY	O/	X(5)	<b>DESC:</b> In multi-ADM environments, this
	M		field determines whether the patron's
			global information record is a shared
			record or whether it belongs to a specific
			library (non-shared). The information is
			taken from the Z303-USER-LIBRARY
			field of the Patron's Global Information
			record.
Z353-KEY-TYPE	M	X(5)	<b>DESC:</b> This field determines the type of
	1.1	11(0)	Z353 record. There are three valid
			options by which the Patron List can be
			sorted. Following are the possible values
			for this field:
			BC (Patron Barcode)
			· · · · · · · · · · · · · · · · · · ·
			ID (Patron ID)
7252 KEV DATA	3.4	V(100)	NAME (Patron Name)
Z353-KEY-DATA	M	X(100)	<b>DESC:</b> The contents of this field vary
			according to the record type.
			- If the Z353-KEY-TYPE is
			NAME, then this field
			contains the patron's name
			(Z303-NAME-KEY).
			- If the Z353-KEY-TYPE is
			ID, then this field contains
			the patron's ID (Z303-ID).
			- If the Z353-KEY-TYPE is
			BC, then this field
			contains the patron's
			barcode (Z308-KEY-
			DATA). Note that if the
			patron was not assigned a
			barcode, this field is set to
			NOBC+Z303-ID.
Z353-ID	M	X(12)	<b>DESC:</b> Patron's identification key.
	1.2	-(/	Matches the Z303-ID field of the
			Patron's Global Information record.
			i anon a diovai infolliation iccord.