ExLibris Aleph

Z416 - ILL LENDING REQUEST

The Z416 is an ILL library (XXX40) Oracle table that contains administrative information about interlibrary loan (ILL) lending requests. A lending request is also known as an incoming request.

It is not necessarily expected that a library will convert ILL requests when installing the ALEPH system. In some cases, the library might inform requesters that there is a system switch-over and that outstanding requests are not retained and must be resubmitted after switchover.


In the following table (X) denotes an alphanumeric field and (9) denotes a numeric field. All alphanumeric fields are left-aligned with trailing spaces and all numeric fields are right-aligned with leading zeroes. Decimal positions are indicated by the symbol V. The total number of decimal digits is designated by the number of nines following the V.

01 Z416.	
02 Z416-REC-KEY.	
03 Z416-DOC-NUMBER	PICTURE 9(9).
02 Z416-BIB-INFO.	
03 Z416-BIB-DOC-NUMBER	PICTURE 9(9).
02 Z416-ITEM-INFO.	
03 Z416-ITEM-DOC-NUMBER	
03 Z416-ITEM-SEQUENCE	PICTURE 9(6).
02 Z416-PROTOCOL-TYPE	PICTURE X(5).
02 Z416-REQUESTER-CODE	PICTURE X(20).
02 Z416-REQUESTER-ID	PICTURE X(12).
02 Z416-REFERENCE-NUMBER.	
03 Z416-REQUESTER-SYSTEM-ID	PICTURE X(50).
03 Z416-GROUP-QUALIFIER	PICTURE X(25).
03 Z416-QUALIFIER	PICTURE X(25).
02 Z416-ILL-UNIT	PICTURE X(20).
02 Z416-STATUS	PICTURE X(3).
02 Z416-RETRY-FLAG	PICTURE X(1).
02 Z416-REQUEST-NUMBER-1	PICTURE X(30).
02 Z416-REQUEST-INFO.	
03 Z416-REQUEST-MEDIA	PICTURE X(20).
03 Z416-REQUEST-PAGES	PICTURE X(100).
03 Z416-REQUEST-MEDIA-SEND-M	ETHOD PICTURE X(2).
03 Z416-REQUEST-MEDIA-SEND-II	NFO PICTURE X(200).
03 Z416-REQUEST-LAST-INTERES	
03 Z416-REQUEST-EXPIRY-DATE	
03 Z416-REQUEST-NOTE	PICTURE X(300).
03 Z416-REQUEST-PATRON-ADDRE	


© Ex Libris Ltd., 2009 Z416 Version 20.0 April 30, 2009

03 Z416-REQUEST-PATRON-EMAIL 03 Z416-REQUEST-WILLING-TO-PAY 03 Z416-LEVEL-OF-SERVICE	PICTURE X(200). PICTURE X(1). PICTURE X(1).
02 Z416-SUPPLY-INFO.	
03 Z416-SUPPLY-MEDIA	PICTURE X(20).
03 Z416-SUPPLY-MEDIA-SEND-METHOD	PICTURE X(2).
03 Z416-SUPPLY-PAGES	PICTURE 9(3).
03 Z416-SUPPLY-PAGE-SIZE	PICTURE X(2).
03 Z416-SUPPLY-NOTE	PICTURE X(300).
03 Z416-SUPPLY-DATE	PICTURE 9(8).
03 Z416-EXPECTED-RETURN-DATE	PICTURE 9(8).
03 Z416-RETURN-DATE	PICTURE 9(8).
02 Z416-CURRENCY	PICTURE X(3).
02 Z416-PRICE	PICTURE 9(8)V99.
02 Z416-LOCAL-PRICE	PICTURE 9(8)V99.
02 Z416-COPYRIGHT-COMPLIANT	PICTURE X(3).
02 Z416-COPYRIGHT-CURRENCY	PICTURE X(3).
02 Z416-COPYRIGHT-PRICE	PICTURE 9(8)V99.
02 Z416-COPYRIGHT-LOCAL-PRICE	PICTURE 9(8)V99.
02 Z416-OPEN-DATE	PICTURE 9(8).
02 Z416-UPDATE-DATE	PICTURE 9(8).
02 Z416-CATALOGER	PICTURE X(10).
02 Z416 CATALOGER 02 Z416-ARCHIVE	PICTURE X(10).


Z416-DOC-NUMBER	М	9(9))	DESC: The ILL request doc number. It is the same as the XXX40 doc. number. CONV: ILL system number.
Z416-BIB-DOC-NUMBER	М	9(9)	DESC: The BIB doc number that has been located for the request.CONV: BIB doc number or zeroes.
Z416-ITEM-DOC-NUMBER	М	9(9)	DESC: When an item is supplied to the requester as 'Loan' (returnable) Z416- ITEM-DOC-NUMBER is the same as the supplied item Z30-DOC-NUMBER. CONV : Relevant value or zeroes.
Z416-ITEM-SEQUENCE	М	9(6)	DESC: When an item is supplied to the requester as 'Loan' (returnable) Z416-ITEM-SEQUENCE is the same as the supplied item Z30-ITEM-SEQUENCE. CONV: Relevant value or zeroes.




Z416-PROTOCOL-TYPE	M	X(5)	 DESC: The method in which your library received the request to the partner. Options: ISO – ISO TCP protocol SLNP – German protocol DANZG – Danish Protocol LT – Letter: the partner uses letter-based communication, for example: e-mail, fax, and telephone. CONV: Relevant code
Z416-REQUESTER-CODE	М	X(20)	DESC: The requester partner code (Z700- INTERNAL-CODE). CONV: Relevant code.
Z416-REQUESTER-ID	0	X(12)	DESC: The requester ID as it is assigned Z303_ID. CONV: Relevant code or empty.
Z416-REQUESTER- SYSTEM-ID	M/ O	X(50)	DESC: The requester institution symbol, for example: EXL:MN_LAW. Mandatory for Z416-PROTOCOL-TYPE=ISO. Not relevant for all other protocol types. CONV: Relevant value or blank.
Z416-GROUP-QUALIFIER	M/ O	X(25)	 DESC: Mandatory for Z416-PROTOCOL- TYPE=ISO. Not relevant for all other protocol types. This is the requester reference number as obtained from the ISO IllRequest. CONV: Relevant value or blank.
Z416-QUALIFIER	M/ O	X(25)	DESC: Mandatory for Z416-PROTOCOL- TYPE=ISO. Not relevant for all other protocol types. This is the requester reference qualifier number as obtained from the ISO IllRequest. CONV: Relevant value or blank.
Z416-ILL-UNIT	М	X(20)	DESC: The ILL Unit (Z700-INTERNAL- CODE) that handles the request. CONV: Relevant value.




Z416-STATUS	Μ	X(3)	DESC: Lending request status.
			Values are defined in LEND-REQ-STATUS
			menu of the ILL library's
			tab/pc_tab_exp_field. <lng>.</lng>
			Samples of Z416-STATUS:
			NEW = Default value when a new supplier
			request is created.
			LOC= Located
			AUF= Answer Unfilled
			$\mathbf{ART} = \mathbf{Answer Retry}$
			SL= Sent as Loan
			SC = Sent as copy
			RCV=Received by Requester
			OVD=Overdue
			RCL=Recalled
			RT= Returned CLS= Closed
			CONV: Relevant status code.
Z416-RETRY-FLAG	0	X(1)	DESC : Requester indication that the ILL
Z410-KETKT-FLAO	0	$\Lambda(1)$	request is or is not a retry of a previous one.
			The value is obtained from the ISO
			IllRequest.
			Options:
			Blank – the request is sent for the first time
			\mathbf{Y} –Yes. The request is a retry of a previous
			one.
			CONV: Y or blank.
Z416-REQUEST-NUMBER-1	0	X(30)	DESC: Not applicable.
Z416-REQUEST-MEDIA	Μ	X(20)	DESC: Defines the format and media of the
			requested material. The media can be L
			(loan request) or C (photocopy request) or E
			(electronic media). The format can be:
			PRINTED or COPY or MICROFORM or
			VIDEO or AUDIO or OTHER or MR.
			Z410-MEDIA can be a combination between
			format and media. For example:
			L-PRINTED
			C-COPY
			E-MR
			L-OTHER
			Values are defined in ILL-REQUEST-
			MEDIA menu of the ill_library/tab/
			pc_tab_exp_field. <lng> table CONV: Relevant value.</lng>
Z416-REQUEST-PAGES	0	X(100)	DESC: The requested pages. For example,
		23(100)	5-12, 29-41,65.
			CONV: Relevant value or zeroes.
	I	L	




Z416-REQUEST-MEDIA- SEND-METHOD	0	X(2)	DESC: This field contains the preferred sending method. The sending method is the way in which the requested material is sent to the requester. Values are defined in ILL- DELIVERY-METHOD menu of the ILL library's tab/pc_tab_exp_field. <lng>. CONV: Blank or relevant value.</lng>
Z416-REQUEST-MEDIA- SEND-INFO	0	X(200)	DESC: Not applicable.
Z416-REQUEST-LAST- INTEREST	M	9(8) Format: YYYYMM DD	DESC: Last date of interest for the ILL request.CONV: Relevant date.
Z416-REQUEST-EXPIRY- DATE	М	9(8) Format: YYYYMM DD	DESC: Relevant for Z416-PROTOCOL- TYPE=ISO. The date after which the request is considered expired. The date is obtained from the ISO IllRequest. The service: Lending Library-ISO Expired Messages(ill-69) use Z416-REQUEST- EXPIRY-DATE to detrmine which request is expired. CONV: Relevant date or zeroes.
Z416-REQUEST-NOTE	0	X(300)	DESC: Free text note as specified by the requester. CONV: Relevant string or blank.
Z416-REQUEST-PATRON- ADDRESS	0	X(200)	DESC: Not applicable.
Z416-REQUEST-PATRON- EMAIL	0	X(200)	DESC: In case of direct supply to the request's end-user email (vs. to delivery to the patron ILL library), this field defines the end-user (patron)'s email address. The mail address is driven from the ISO IllRequest. CONV: Relevant string or blank.
Z416-REQUEST-WILLING- TO-PAY	М	X(1)	 DESC: Indicates if the requester is willing to pay for possible interlibrary loan charges. Options: Y – Yes N - No CONV: Relevant value.



	-		
Z416-LEVEL-OF-SERVICE	0	X(1)	DESC: The request's rush parameter or the level of service code depending on agreements with your ILL Partners. Values are defined in LEVEL-OF-SERVICE menu
			of the
			ill_library/tab/pc_tab_exp_field. <lng>.</lng>
			CONV: Relevant value. The first value
			defined in the LEVEL-OF-SERVICE menu
			can be used as a default.
Z416-SUPPLY-MEDIA	0	X(20)	DESC: Defines the format and media of the supplied material. The media can be L (loan request) or C (photocopy request) or E
			(electronic media). The format can be:
			PRINTED, COPY, MICROFORM, VIDEO,
			AUDIO, OTHER or MR. Z410-MEDIA can
			be a combination between format and media.
			For example:
			L-PRINTED
			C-COPY
			E-MR
			L-OTHER
			Values are defined in ILL-REQUEST-
			MEDIA menu of the
			ill_library/tab/pc_tab_exp_field. <lng> table. CONV: Relevant value.</lng>
Z416-SUPPLY-MEDIA-	0	X(2)	DESC: This field contains the supplied
SEND-METHOD			method. The supplied method is the way in
			which the material is sent to the requester.
			Values are defined in ILL-DELIVERY-
			METHOD menu of the ILL library's tab/
			pc_tab_exp_field. <lng>.</lng>
			CONV: Blank or relevant value.
Z416-SUPPLY-PAGES	Μ	9(3)	DESC: Number of supplied pages. Used if
			the 'Copy' is chosen. CONV: Relevant value or zeroes.
Z416-SUPPLY-PAGE-SIZE	0	X(2)	DESC: Page size. Used if the 'Copy' is
			supplied. Values are defined in PAGE-SIZE
			menu of the ILL library's tab/pc_tab_exp_field. <lng>.</lng>
			Sample of values:
			A1
			A1 A2
			A3
			A4
			CONV: Relevant value or blank.



0	X(300)	DESC: Free text note. The note entered
0	11(000)	when 'ship' action is performed. It is
		included in the 'supply slip' and 'ship' ISO
		message.
		CONV: Relevant string or blank.
Μ	9(8)	DESC: Date the material was supplied to the
	Format:	requester. This field is automatically inserted
	YYYYMM	by the system when the "ship" action is
	DD	completed.
		CONV: Relevant date or zeroes.
Μ	• •	DESC: For material supplied as 'loan'
		(returnable), date by which the item must be
		returned from the requester to the library.
	DD	CONV: Relevant date or zeroes.
М	9(8)	DESC: For material supplied as 'loan'
	Format:	(returnable), date the material was returned
	YYYYMM	from the requester to the library.
	DD	CONV: Relevant dates or zeroes.
0	X(3)	DESC: The currency code in which the
0	11(0)	requested is going to be charged for the
		request (Z83-CURRENCY-NAME).
		CONV: Relevant currency code (Z83-
		CURRENCY-NAME) or blank.
Μ	9(8)V99	DESC: The cost (in the requester's currency)
	Leading	of providing the ILL service. Alternatively
	zeroes	this may be the number of vouchers required
		for the request.
		CONV: Relevant value or zeroes.
Μ	· /	DESC: The cost (in the local currency) of
	U	providing the ILL service. Alternatively this
	zeroes	may be the number of vouchers required for
		the request.
6	N/O	CONV: Relevant value or zeroes.
U	X(3)	DESC: Relevant only requests received
		from a library that works with US and
		Australian copyright modes.
		For mode 1 (US) Possiable values: CCG
		CCG
		For mode 2 (Australian): copyright
		compliant free text as sent by the requester.
		CONV: Relevant value or blank.
	1	Conversion and value of blank.
0	X(3)	DESC: Not applicable
	M M O	M9(8) Format: YYYYMM DDM9(8) Format: YYYYMM DDM9(8) Format: YYYYMM DDM9(8)



		0 (0) 7 700	DEGG M. H. H.
Z416-COPYRIGHT-PRICE	Μ	9(8)V99	DESC: Not applicable
		Leading	
		zeroes	
Z416-COPYRIGHT-LOCAL-	Μ	9(8)V99	DESC: Not applicable
PRICE		Leading	
		zeroes	
Z416-OPEN-DATE	Μ	9(8)	DESC: Date the request was first created.
		Format:	CONV: Relevant date or conversion date.
		YYYYMM	
		DD	
7416 LIDDATE DATE	N	0(9)	DESC: Data the segment and last and last
Z416-UPDATE-DATE	Μ	9(8)	DESC: Date the request was last updated.
		Format:	CONV: Relevant date or conversion date.
		YYYYMM	
		DD	
Z416-CATALOGER	0	X(10)	DESC: User name of the ILL librarian
			processing the request.
			CONV: Blank or "CONV".
		37/1)	
Z416-ARCHIVE	Μ	X(1)	DESC: This field indicated whether or not
			the ILL lending request has been transferred
			to the ILL History Database. Lending
			requests can be transferred to the Historical
			Database by activating the batch service:
			Generate Lending History (ill-89).
			Values can be:
			N – Request has not been transferred to ILL
			History Database.
			Y - Request has been transferred to ILL
			History Database.
			CONV: Y or N. Default: N

