

Z77 – INVOICE HEADER (GENERAL INVOICE)

An invoice is a composite of two tables:

- Z77 invoice header, general invoice information
- Z75 line item on an invoice

Up to 99,999 Z75 records can be related to a Z77 record. The connection between the two is the Z75-VENDOR-CODE and Z75-INVOICE-NUMBER, which match with Z77-VENDOR-CODE and Z77-INVOICE-NUMBER fields. There can be a Z77 record without related Z75 records, but a Z75 record *MUST* have an associated Z77 record.

In the following table, (X) denotes an alphanumeric field and (9) denotes a numeric field. All alphanumeric fields are left-aligned with trailing spaces; all numeric fields are right-aligned with leading zeroes. Decimal positions are indicated by the symbol V. The total number of decimal digits is designated by the number of nines following the V. Note that the decimal point is not stored in the field (for example, if the field definition is 9(4)V99, then 1000 = 10.00).

```
02 Z77-REC-KEY.
  03 Z77-VENDOR-CODE
                               PICTURE X(20).
  03 Z77-INVOICE-NUMBER
                               PICTURE X(15).
02 Z77-ORIG-INVOICE-NUMBER
                               PICTURE X(15).
02 Z77-I-TYPE
                               PICTURE X(3).
02 Z77-I-STATUS
                               PICTURE X(3).
02 Z77-I-CREDIT-DEBIT
                               PICTURE X(1).
02 Z77-I-CURRENCY
                               PICTURE X(3).
02 Z77-I-CURRENCY-RATIO
                               PICTURE 9(12).
02 Z77-I-NET-AMOUNT
                               PICTURE 9(12)V99.
                               PICTURE 9(12)V99.
02 Z77-I-SHIP-AMOUNT
02 Z77-I-OVER-AMOUNT
                               PICTURE 9(12)V99.
02 Z77-I-INSU-AMOUNT
                               PICTURE 9(12)V99.
02 Z77-I-DISC-AMOUNT
                               PICTURE 9(12)V99.
02 Z77-I-TOTAL-AMOUNT
                               PICTURE 9(12)V99.
                               PICTURE 9(8).
02 Z77-I-DATE
02 Z77-I-REC-DATE
                               PICTURE 9(8).
02 Z77-I-SHIP-DATE
                               PICTURE 9(8).
02 Z77-I-NOTE
                               PICTURE X(60).
02 Z77-I-NO-ITEM
                               PICTURE 9(4).
02 Z77-P-DATE
                               PICTURE 9(8).
02 Z77-P-CHECK-NO
                               PICTURE X(15).
                               PICTURE 9(12)V99.
02 Z77-P-AMOUNT
02 Z77-P-STATUS
                               PICTURE X(1).
02 Z77-VAT-CODE
                               PICTURE X(5).
```

02	Z77-VAT-AMOUNT	PICTURE	9(12)V99.
02	Z77-VAT-PER-LINE	PICTURE	X(1).
02	Z77-VAT-RECEIVER	PICTURE	X(40).
02	Z77-APPROVAL-DEPARTMENT	PICTURE	X(20).
02	Z77-APPROVAL-NUMBER	PICTURE	X(20).
02	Z77-VAT-METHOD	PICTURE	X(1).

Z77-REC-KEY			
Z77-VENDOR-CODE	M	X(20)	DESC: Vendor code.
Z//-VENDOR-CODE	101	, ,	CONV: Relevant vendor code. Should
		Upper case	match the Z70-VENDOR-CODE.
777 INVOICE NUMBER	3.4	V(15)	
Z77-INVOICE-NUMBER	M	X(15)	DESC: Invoice number as assigned by
			the vendor.
			CONV: Relevant invoice number.
Z77-ORIG-INVOICE-	О	X(15)	DESC: This is an informative field that
NUMBER			can be used when the invoice is an
			extension of a previous invoice.
			CONV: Relevant value or blank.
Z77-I-TYPE	M	X(3)	DESC: Type of invoice. The invoice
			type is for information purposes only; all
			invoice types are handled in the same
			manner by the system.
			Current values are:
			REG = Regular
			PRO = Proforma
			DEP = Deposit
			Values are defined in the
			pc_tab_exp_field.lng table under the
			ACQ_INVOICE_TYPE section.
			CONV: Relevant value. Any three-letter
			code, must match the definitions of the
			library's pc_tab_exp_field.lng table.
Z77-I-STATUS	M	X(3)	DESC: Status of the invoice. This status
			is for information purposes.
			Current values are:
			$\mathbf{REG} = \mathbf{Regular}$
			SUP = Supplemental
			ADJ = Adjustments
			Values are defined in the
			pc_tab_exp_field.lng table under the
			ACQ_INVOICE_STATUS section.
			CONV: Relevant value. Any three-letter
			code, must match the definitions of the
			library's pc_tab_exp_field.lng table.
Z77-CREDIT-DEBIT	M	X(1)	DESC: This field indicates whether this
		(-)	is a debit invoice or a credit invoice.
			Values are D (debit) or C (credit).
			CONV: Relevant value.
777 I CUDDENCY	NA	V(2)	
Z77-I-CURRENCY	M	X(3)	DESC: Currency used for the invoice.
			Checked against vendor's Z70-
			CURRENCY-n if the CHECK-
			INVOICE-CURRENCY flag in the
			tab100 table of the library's tab directory

		1	
Z77-I-CURRENCY-RATIO	M	9(12)	is set to Y. If the flag is set to N, then the Z77-I-CURRENCY is not checked. CONV: Currency must be defined in Z82 (currency table). If the CHECK-INVOICE-CURRENCY flag is set to 'N', you can enter a currency code that is not defined in the vendor record. DESC: Currency ratio. This field can be used to define a particular currency ratio for the invoice. If the Z77-I-CURRENCY-RATIO is not zeroes, then the currency table (Z82) will not be
777 I NET AMOUNT	M	0(12)1/00	consulted. CONV: Relevant value or zeroes.
Z77-I-NET-AMOUNT	M	9(12)V99 Leading zeroes, two last digits are decimal	DESC: Net amount of invoice. Optional information. In online ALEPH, if this field is reported and is different than Z77-I-TOTAL-AMOUNT, the relative difference is computed for each line of the invoice, and automatically added to the Z75-I-NET-AMOUNT in order to compute the Z75-I-TOTAL-AMOUNT. CONV: Zeroes or relevant amount.
Z77-I-SHIP-AMOUNT	M	9(12)V99 Leading zeroes, two last digits are decimal	DESC: Added charges. Optional information. In online ALEPH, if Z77-I-TOTAL-AMOUNT is blank, this amount is added to Z77-I-NET-AMOUNT to compute Z77-I-TOTAL-AMOUNT. CONV: Zeroes or relevant amount
Z77-I-OVER-AMOUNT	M	9(12)V99 Leading zeroes, two last digits are decimal	DESC: Added charges. Optional information. In online ALEPH, if Z77-I-TOTAL-AMOUNT is blank, this amount is added to Z77-I-NET-AMOUNT to compute Z77-I-TOTAL-AMOUNT. CONV: Zeroes or relevant amount.
Z77-I-INSU-AMOUNT	M	9(12)V99 Leading zeroes, two last digits are decimal	DESC: Added charges. Optional information. In online ALEPH, if Z77-I-TOTAL-AMOUNT is blank, this amount is added to Z77-I-NET-AMOUNT to compute Z77-I-TOTAL-AMOUNT. CONV: Zeroes or relevant amount.
Z77-I-DISC-AMOUNT	M	9(12)V99 Leading zeroes, two last digits are decimal	DESC: Amount discounted. Optional information. In online ALEPH, if Z77-I-TOTAL-AMOUNT is blank, this amount is subtracted from Z77-I-NET-AMOUNT to compute Z77-I-TOTAL-AMOUNT. CONV: Zeroes or relevant amount.

Z77-I-TOTAL-AMOUNT	M	9(12)V99	DESC: Total amount. Mandatory
		Leading zeroes,	information. In online ALEPH, if left
		two last digits	blank, the amount is computed from net
		are decimal	amount, plus added charges, minus
			discount.
			CONV: Zeroes or relevant amount.
Z77-I-DATE	M	9(8)	DESC: Date of invoice.
		Format:	CONV: Relevant date.
		YYYYMMDD	
Z77-I-REC-DATE	M	9(8)	DESC: Date invoice was received. If the
		Format:	Z77-I-TYPE is 'DEP' (deposit), the date
		YYYYMMDD	will not be automatically filled by the
			system.
			CONV: Relevant date. If Z77-I-TYPE is
			'DEP' (deposit), then the Z77-I-REC-
			DATE can be zeroes.
Z77-I-SHIP-DATE	M	9(8)	DESC: Date material was shipped.
		Format:	Default to Z77-I-DATE.
		YYYYMMDD	CONV: Relevant date.
Z77-I-NOTE	О	X(60)	DESC: Free-text note.
			CONV: Relevant text or blank.
Z77-I-NO-ITEMS	M	9(4)	DESC: Not in use.
			CONV: Zeroes.
Z77-P-DATE	M	9(8)	DESC: Payment date.
		Format:	CONV : If Z77-P-STATUS = 'P', enter a
		YYYYMMDD.	relevant date here. Else put zeroes
Z77-P-CHECK-NO	О	X(15)	DESC: Payment check number.
			CONV: Blank or a relevant number.
Z77-P-AMOUNT	M	9(12)V99	DESC: Payment amount.
		Leading zeroes,	CONV: Relevant amount or zeroes.
		two last digits	
		are decimal	
Z77-P-STATUS	M	X(1)	DESC: Payment status.
			Values are:
			N = Not ready to be paid
			$\mathbf{R} = \text{Ready to be paid}$
			\mathbf{Y} = Payment notification sent
			$\mathbf{P} = \text{Paid}$
			When creating a new invoice, the default
			value that displays in the Payment tab of
			the General Invoice Form is defined
			through the tab48.lng table of the
			library's tab directory. Note that this
			table is also used to define valid values
			for the field.
			CONV: If the Z77-P-AMOUNT > 0 ,
			then set the field to 'P', else put 'N'.

Z77-VAT-CODE	\cap	V(5)	DESC: VAT code. The VAT code
Z//-VAI-CODE	О	X(5)	
			mechanism enables automatic calculation
			of the Z77-VAT-AMOUNT according to
			the selection of a specific code. This
			function is enabled by setting to 'Y' the
			UseVATCode variable under the section
			[Invoice] in the Acq.ini file. VAT codes
			and VAT percentages are defined in the
			1
			tab_vat_percent.lng table of the tab
			directory of the administrative library.
			Note that if the Z77-VAT-PER-LINE
			field is set to 'N', the VAT code can only
			be attached to the general invoice and it
			is automatically assigned to all attached
			line items. If the field is set to 'Y', then
			the VAT code (Z75-I-VAT-CODE) can
			` ´
			be set individually for each line item.
			CONV: Relevant code or blank.
Z77-VAT-AMOUNT	M	9(12)V99	DESC: This is the amount that should go
			to the VAT recipient. The VAT (Value
			Added Tax) is included in the Total
			Amount (Z77-I-TOTAL-AMOUNT).
			Note that the value in this field depends
			on the value of the Z77-VAT-PER-LINE
			and of the Z77-VAT-CODE fields.
			CONV: Relevant amount or zeroes.
			Consult the value of the Z77-VAT-PER-
			LINE field.
Z77-VAT-PER-LINE		X(1)	DESC: Values are Y and N. If the field
			is set to N, the VAT amount of the
			general invoice (Z77-VAT-AMOUNT) is
			fixed and saved in the database. In this
			case, VAT values of all attached line
			items (Z75-I-VAT-AMOUNT) are
			` ′
			calculated from Z75-I-TOTAL-
			AMOUNT according to the VAT percent
			of the general invoice. In addition, the
			VAT code (Z75-I-VAT-CODE) of the
			line items can only be assigned through
			the general invoice. If the field is set to
			Y, the Z77-VAT-AMOUNT is always
			zero in the database. It is calculated on
			the fly from the VAT amounts of all
			attached line items, only for display/print
			purposes (e.g., Invoice Report -
			p_acq_10). This means that Z75-I-VAT-
			AMOUNT and the Z75-I-VAT-CODE
	<u> </u>	I .	I I I I I I I I I I I I I I I I I I I

			1 (1 1 1 0 1 1 2
			can be set individually for each line item.
		TT(10)	CONV: Relevant value.
Z77-VAT-RECEIVER	О	X(40)	DESC: This is the body that should
			receive the Value Added Tax (VAT).
			CONV: Relevant string or blank.
Z77-APPROVAL-	О	X(20)	DESC: Approval department. This is the
DEPARTMENT			unit responsible for processing the
			invoice approval. Values are defined
			through the
			ACQ_APPROVAL_DEPARTM section
			of the pc_tab_exp_field.lng table of the
			library's tab directory. The approval
			department can be used later as a
			retrieval filter for the "Invoice Report"
			(b_acq_10) batch process.
			COVN: Relevant value or blank.
Z77-APPROVAL-NUMBER	О	X(20)	DESC: Approval number assigned to the
		, ,	invoice. Note that the same number can
			be assigned to a group of invoices. This
			field is a free text field. In addition, it is
			possible to automatically add an approval
			number to a group of invoices by using
			the "Invoice Report" (b_acq_10) batch
			process. This service automatically adds
			the approval number to the invoices
			retrieved (according to the retrieval
			parameters) based on the value of the
			"last-invoice-app-no" counter (UTIL
			G/2). The approval number can be used
			later as a retrieval filter for the "Invoice
			Report" (b_acq_10) batch process.
			CONV: Relevant number or blank.
Z77-VAT-METHOD	0	X(1)	DESC: Indicates the VAT calculation
		11(1)	method. Values can be I or E.
			I – Inclusive. VAT amount is already
			included in Z77-I-TOTAL-AMOUNT.
			E – Exclusive. VAT amount is added to
			Z77-I-TOTAL-AMOUNT.
			CONV: Relevant value.
			CONV: Keievant value.