## **Z79 – Order Index**

The Z79 table serves the Acquisitions Order Index.

The Order Index offers many options that ease the search for an order.

This is achieved by sorting and filtering the order records.

The information in this table varies according to the index.

Conversion is not applicable. The index is generated by running the "Rebuild Acquisitions Order Index" (acq-04) service. This service is available from the **Other** submenu option of the Services menu in the Acquisitions/Serials module.

In the following table, (X) denotes an alphanumeric field and (9) denotes a numeric field. All alphanumeric fields are left-aligned with trailing spaces; all numeric fields are right-aligned with leading zeroes. Decimal positions are indicated by the symbol V. The total number of decimal digits is designated by the number of nines following the V.

Z79-REC-KEY			
Z79-TYPE	M	X(5)	<b>DESC:</b> Index type. Values are defined in the pc_tab_exp_field.lng table of the library's tab directory under the following entries:  ACQ_INDEX_TYPE – for the order index.
			Valid values for the order index:  ON = Order number  AON = Order number 2  V = Vendor code  AVC = Additional vendor code  B = Budget  I = Invoice (vendor code + invoice
			number)  I2 = Invoice (invoice number + vendor code)  RF = Vendor reference  TARGT = Target ID  TNAME = Target name  GON = Group order number  ANOTE = Arrival note
			OG = Order group OU = Order unit It is possible to add Bibliographic indexes by editing the following table of the library's tab directory: tab_acq_index (order index) The Bibliographic indexes must be defined as indexes in all other relevant configuration.
Z79-FILING-TEXT	M	X(35)	<b>DESC:</b> The filed index text. The text in this field is the output of the Z79-TEXT field after it has gone through the filing that is defined in the ACQ_INDEX section of tab_character_conversion_line.
Z79-DOC-NUMBER-1	M	9(9)	<b>DESC:</b> System number of the administrative record associated to the order.
Z79-SEQUENCE-1	M	9(5)	<b>DESC:</b> Sequence number of the index record. Used to distinguish between multiple index records for the same Z79-TYPE, Z79-FILING-TEXT and Z79-DOC-NUMBER-1.

Z79-ALPHA	M	X(1)	<b>DESC:</b> ALPHA code of the record.
Z13-ALI IIA	IVI	$\Lambda(1)$	Use <b>L</b> for all scripts (e.g. Latin,
			Greek, Cyrillic, etc.).
Z79-TEXT	M	X(35)	<b>DESC:</b> The index text. The text of
			this field depends on the index type
			that is being created.
Z79-ORDER-KEY			
Z79-DOC-NUMBER	M	9(9)	<b>DESC:</b> The document number of the
			order whose information is indexed
750 SECTIONS	3.6	0 (5)	in this record.
Z79-SEQUENCE	M	9(5)	<b>DESC:</b> The sequence number of the
			order or whose information is indexed in this record
Z79-FILTER-1	O/M	V(20)	
Z/9-FILTEK-I	O/M	X(20)	<b>DESC:</b> The sublibrary of the order that is associated with the index
			entry. The field is used to filter the
			index when browsing it.
Z79-FILTER-2	O/M	X(20)	<b>DESC:</b> The order status for the that
		(,	is associated with the index entry.
			The field is used to filter the index
			when browsing it.
Z79-FILTER-3	O/M	X(20)	<b>DESC:</b> The order group for the
			order, that is associated with the
			index entry. The field is used to filter
			the index when browsing it.
Z79-FILTER-4	O/M	X(20)	<b>DESC:</b> The order type for the order
			that is associated with the index
			entry. The field is used to filter the
770 EH TED 5	0/M	V(20)	index when browsing it.
Z79-FILTER-5	O/M	X(20)	<b>DESC:</b> The vendor status for the order that is associated with the index
			entry. The field is used to filter the
			index when browsing it.
Z79-FILTER-6	O/M	X(20)	<b>DESC:</b> The order rush indicator for
	J / 1V1	11(20)	the order that is associated with the
			index entry. The field is used to filter
			the index when browsing it.
Z79-FILTER-7	O/M	X(20)	<b>DESC:</b> The order arrival status for
			the order that is associated with the
			index entry. The field is used to filter
			the index when browsing it.
Z79-FILTER-8	O/M	X(20)	<b>DESC:</b> The order invoice status for
			the order that is associated with the
			index entry. The field is used to filter
			the index when browsing it.

Z79-FILTER-9	M	X(20)	<b>DESC:</b> The order date for the order
			that is associated with the index
			entry. The field is used to filter the
			index according to 'From Date' when
			browsing it.
Z79-FILTER-10	M	X(20)	<b>DESC:</b> The order date for the order
			that is associated with the index
			entry. The field is used to filter the
			index according to 'To Date' when
			browsing it.