Z304 – PATRON'S ADDRESS

This table contains patrons' address record/s.

The patron record (Z303) can have multiple address types, and within each type can have multiple addresses (for different periods). The Z304-ADDRESS-TYPE is an uncontrolled field that is used to differentiate between different types of addresses. The system uses type "02" as the mailing address.

A default Z304 record is created automatically by the system when the patron's record (Z303) is created. This default Z304 record is valid for a month from the date the Z303 record is created. The Z304-ADDRESS-TYPE of the default Z304 record is set to 01 (permanent address) and it is created with the Z303-NAME in the first line of the address.

Depending on setup, the system uses one of two methods to determine the "current" mailing address: either the Z304-DATE-FROM and Z304-DATE-TO fields, or validity period on a system-wide basis. In the second case, the Z304-DATE-FROM and Z304-DATE-TO fields are irrelevant. This system-wide option is set in the tab/tab_bor_address table of the administrative library. If the lines that define this option are present, the system-wide address conventions are in effect.

Note that the two methods cannot be used together.

If the address period is defined in the tab_bor_address:

- 1. When the patron updates his address record using the Web form (www_a_eng/bor-update), the current record will be updated. If there is no current record, the record that suits the immediately preceding line in tab_bor_address will be updated (only one line up).
- 2. In the same manner, when the system searches for the appropriate patron record for printed products, if there is no record with the address type expected according to the time period in tab_bor_address, the system takes the record that has the type registered in the previous line in tab_bor_address, and duplicates it, assigning the expected address type.

If the address period is NOT defined in tab_bor_address:

- 1. Updating the address in the Web OPAC (using the Update Patron Address form (www_a_eng/bor-update) changes the last record.
- 2. When the system determines which address record to use, if there is more than one record with relevant valid from-to dates, the system chooses the record type 02 with the highest sequence number. Remember, when sending notices to the patron, the system first searches for an address of type "02" where the date of the notice falls within the valid from-to period. If the system does not



find a suitable 02 address, the system then searches for a suitable 01 address. If no address is found, no address is printed.

Note that when the Z304-DATE-FROM and Z304-DATE-TO fields are used to determine the current address, if they are set to 00000000, no address is printed.

The Z304 table must be included in the file_list of the library defined for the usr_library variable of the aleph_start file.

In the following table, (X) denotes an alphanumeric field and (9) denotes a numeric field. All alphanumeric fields are left-aligned with leading spaces, all numeric fields are right-aligned (with leading zeroes, where relevant). Decimal positions are indicated by the symbol V. The total number of decimal digits is designated by the number of nines following the V.

02	Z304-REC-KEY.			
()3 Z304-ID		PICTURE	X(12).
()3 Z304-SEQUENCE		PICTURE	9(2).
02	Z304-ADDRESS OCCURS	5	PICTURE	X(200).
02	Z304-ZIP		PICTURE	X(9).
02	Z304-EMAIL-ADDRESS		PICTURE	X(60).
02	Z304-TELEPHONE		PICTURE	X(30).
02	Z304-DATE-FROM		PICTURE	9(8).
02	Z304-DATE-TO		PICTURE	9(8).
02	Z304-ADDRESS-TYPE		PICTURE	9(2).
02	Z304-TELEPHONE-2		PICTURE	X(30).
02	Z304-TELEPHONE-3		PICTURE	X(30).
02	Z304-TELEPHONE-4		PICTURE	X(30).
02	Z304-SMS-NUMBER		PICTURE	X(30)
02	Z304-UPDATE-DATE		PICTURE	9(8).
02	Z304-CAT-NAME		PICTURE	K(10).
02	Z304-UPD-TIME-STAMP		PICTURE	9(15).

Z304-REC-KEY			
Z304-ID	M	X(12)	DESC: Patron's identification key in the
Z304-1D	1V1	$\Lambda(12)$	
			system. This is the link to the Z303
			record.
			CONV: Must be a valid Z303-ID.
Z304-SEQUENCE	M	9(2)	DESC: Sequence number of the address
			per patron.
			CONV: Start with 01 and increment by
			1 for each address record attached to the
			same Z304-ID.
Z304-ADDRESS	M	X(200)	DESC: Address of the patron. If the
OCCURS 5			address is used for correspondence, note
			that the entire address must be included
			here.
			CONV: The address consists of 5 lines
			of 200 characters each. The first line
			should be the name of the patron. The
			address should include the ZIP number.
Z304-ZIP	0	X(9)	DESC: Zip code of patron. This field is
Z304-ZII		$\Lambda(\theta)$	not printed on correspondence but can be
			used for reports.
GOOT ENTAIT A DEDECT		T 7/(60)	CONV: Blank or relevant zip code.
Z304-EMAIL-ADDRESS	O	X(60)	DESC: Electronic mail address of the
			patron for correspondence via
			e-mail.
			CONV: Blank or relevant e-mail.
Z304-TELEPHONE	О	X(30)	DESC: Telephone number of the
			patron.
			CONV: Blank or relevant telephone.
Z304-DATE-FROM	M	9(8)	DESC: Date "from" which the address is
		Format:	in effect. Irrelevant if the system-wide
		YYYYMMDD	option is set in the /tab/tab_bor_address
			table of the administrative library.
			CONV: Conversion's date or relevant
			date. If patron has only one mailing
			address enter zeroes.
Z304-DATE-TO	M	9(8)	DESC: Date "to" which the address is in
	171	Format:	effect. Irrelevant if the system-wide
		YYYYMMDD	option is set in the /tab/tab_bor_address
			table of the administrative library.
			CONV: Relevant date, or some future
			·
7204 ADDDESS TYPE	N/I	0(2)	date (e.g. end of school year), or zeroes.
Z304-ADDRESS-TYPE	M	9(2)	DESC: Type of address.
			Values are:
			01 = Permanent address
			02 = Mailing address
			nn = Other

			CONV: Enter relevant type.
Z304-TELEPHONE-2	О	X(30)	DESC: Additional telephone number of
			the patron.
			CONV: Blank or relevant telephone.
Z304-TELEPHONE-3	О	X(30)	DESC: As Z304-TELEPHONE-2.
Z304-TELEPHONE-4	О	X(30)	DESC: As Z304-TELEPHONE-2.
Z304-SMS-NUMBER	О	X(30)	DESC: Phone no. to which a SMS
			message can be sent (This is a field for
			future use).
			CONV: Add the field with blanks
Z304-UPDATE-DATE	M	9(8)	DESC: Date the address record was last
			updated.
			CONV: Relevant date or zeroes.
Z304-CAT-NAME	О	X(10)	DESC: User name of the librarian that
			last updated the address record.
			CONV: Relevant name or "CONV" or
			blank.
Z304-UPD-TIME-STAMP	M	9(15)	DESC : Time the record was created or
			updated.
			CONV : Relevant date.