## **Z22 - ROUTING LIST TRACE**

The Z22 is a track record of the routing list (Z18), a register of the issues that were sent to a routing list.

In the following table, (X) denotes an alphanumeric field and (9) denotes a numeric field. All alphanumeric fields are left-aligned with trailing spaces, all numeric fields are right-aligned with leading zeros. Decimal positions are indicated by the symbol V. The total number of decimal digits is designated by the number of nines following the V.

02 Z	22	-REC-KEY.				
(	3	Z22-DOC-NUMBER	PICTURE	9(9).		
(	3	Z22-SCHEDULE-SEQUENCE	PICTURE	9(5).		
(	3	Z22-COPY-SEQUENCE	PICTURE	9(5).		
(	3	Z22-ROUT-SEQUENCE	PICTURE	9(2).		
02 Z22-TRACE-DATA.						
(	3	Z22-ROUT-DATE	PICTURE	9(8).		

Z22-REC-KEY			
Z22-DOC-NUMBER	M	9(9)	<b>DESC:</b> System number of the
		Leading zeroes	administrative record associated to the
			routing list.
			<b>CONV:</b> Put ADM system number.
Z22-SCHEDULE-	M	9(5)	<b>DESC:</b> Schedule sequence number,
SEQUENCE		Leading zeroes	within the ADM number. This, together
			with the Z22-DOC-NUMBER, is the link
			to the issue record.
			CONV: Put Z30-SCHEDULE-
			SEQUENCE-2, or zeroes.
Z22-COPY-SEQUENCE	M	9(5)	<b>DESC:</b> Sequence number of subscription
		Leading zeroes	within an ADM record.
			<b>CONV:</b> Sequential number, beginning
			with 00001 (according to Z18-COPY-
			SEQUENCE).
Z22-ROUT-SEQUENCE	M	9(2)	<b>DESC:</b> Sequence number of a routing
			list. Used to distinguish between multiple
			routing lists of the same subscription.
			<b>CONV:</b> Create consecutive numbers
			with a leading zero. Begin with 01
			(according to Z18-ROUT-SEQUENCE).
Z22-TRACE-DATA			
Z22-ROUT-DATE	M	9(8)	<b>DESC:</b> Date the issue was routed.
		Format:	CONV: Relevant date.
		YYYYMMDD	