Auto Complete Configuration Guide

Download PDF of Guide

Note

If you are working with Primo VE and not Primo, see Configuring Discovery Views for Primo VE.

The Auto Complete feature provides cloud customers with context-based suggestions that are based on top local Primo and Primo Central queries, as well as data from your local Primo institution and the Primo Central index. For more information, see <u>Auto Complete Indexing and Searching</u>.

If the Auto Complete feature is enabled for a search scope, the Primo Front End requests suggestions from the Auto Complete service as users type in their queries, and then displays the suggestions under the search box. For example:

Local Search	Remote Search	Primo Central	
ame			
american history			
america			
american dream			
american journal of public health			
american			
american civil war			

Auto Complete Suggestions

The suggestions become more refined as the users enter more text. For example:

Local Search	Remote Search	Primo Central	
amexic			Primo Local Repository
amexica : war along the borderline			
amexica : war along the borderline /, e vulliamy		e in the record ▼	
1			

Auto Complete Suggestions Refined

To configure the Auto Complete feature, see <u>Back Office Configuration</u>.

Auto Complete Indexing and Searching

The data harvested from customers is stored in dedicated servers per region in the Ex Libris cloud. The data includes top queries from Primo searches (local and central). It also includes data from customers and Primo Central. The data from customers (authors, titles and subjects) is indexed per the institution – which means that all PNX records in which the search/searchscope field contains the institution code are included. The data from Primo Central (subjects and journal titles) is indexed separately.

Note

Auto Complete suggestions are available only to cloud customers.

The Auto Complete index and service use standard Primo search engine technology and many features such as normalization of characters, typographical error correction, and highlighting. The service ranks suggestions using Primo's ranking algorithm. Additional boosting is provided if suggestions match top queries in Primo and Wikipedia.

Primo will try to offer context-based suggestions, which means that only part of the data in the Auto Complete index is used to provide suggestions as follows:

Search Scope	What will be searched in the Autocomplete index?
Primo Local scope (any scope)	Top queries Data from the institution of the view
Primo Central	Top queries Data from Primo Central
Primo Local + Primo Central	Top queries Data from the institution of the view Data from Primo Central
Remote Search (MetaLib)	Top queries Data from Primo Central
Deep-Search (such as EBSCO, WorldCat, and so forth)	Top queries Data from Primo Central

Back Office Configuration

Before you can use the Auto Complete functionality, you must register your institution with the Auto Complete service. After registration, you can enable the service for all search scopes (per view) and then disable the service for specific search scopes if not needed.

Registering Your Institution

Registering a Primo institution with the Auto Complete service enables Primo to generate content from the local Primo index, which includes all titles, subjects, and authors from records that belong to the registered institution (based on the institution scope).

After registration, Primo automatically generates the Auto Complete content at the end of each scheduled indexing and asynchronously uploads the content to the relevant region's Auto Complete index in the Ex Libris cloud. The generation itself takes only a few minutes.

If Auto Complete is activated in the Front End before the data has been indexed, suggestions will be based on top queries and Primo Central data only. After indexing, it may take up to two days to receive suggestions that are based on local content.

Note

The system will re-harvest the local index whenever new/updated records cause a 10 percent change in the index. Reindexing from scratch will also trigger a re-harvest.

To register an institution for the Autocomplete service:

 On the Primo Home > Ongoing Configuration Wizards > Institution Wizard page, click Edit next to the institution that you want to register for the Auto Complete service.

The Edit Institution page opens.

	Primo Home > Ongoing Configuration Wizards > Institution Wizard			
	• Edit Institution			
:	Institution: Volcano Island Univ	ersity 💌		
	General Institution Attribut	tes for:		
	Institution Code:	VOLCANO	Primo Institution Name	Volcano Island Universi
	MetaLib Institution Code:	VISLAND	MetaLib Portal Code:	VISLAND
	MetaLib User Name:	VISLAND	MetaLib password:	••••
	Alma Institution Code:	Alma	Auto Complete	
	SFX Institute:		bX Token:	d4f5399730db1abcael
	Source ILS institution Codes:	PBRIG,NMURS,NSTA	Hot Articles Token:	primo-generic
	PDS Configuration	-	PC Key:	972EXL.PCO.PSTG
	Description:	Volcano Island University	Customer ID:	

Auto Complete - Edit Institution Page

- 2. Select the Auto Complete check box.
- 3. Save your changes to the institution.
- 4. Deploy your changes to the Front End.

Enabling the Auto Complete Service for a View

After you have registered your institution with the Auto Complete service, you must enable the service per view in the Views Wizard. This option enables the service for all search scopes. If you would like to disable the service for a specific search scope, see <u>Disabling Auto Complete Service for a Search Scope</u>.

To enable the Auto Complete service for a view:

 On the Primo Home > Ongoing Configuration Wizards > Views Wizard page, click Edit next to the view for which you want to enable the Auto Complete service.

The Edit View Attributes page opens.

Primo Home > Ongoing Configuration Wizards > Views Wizard				
• Edit View Attributes				
View : Auto1	View : Auto1			
General View A	General View Attributes of Auto1 View (Volcano Island University):			
General Attributes				
	Code :*	Auto1		
	ls Template	O Yes 💿 No		
	Description:			
	Enable My Library Card			
	Invoke automatic search when tabs are switched			
	Enable the "Personalize Your Results" service			
	Display "Personalize Your Results" pop-up page 🛛 💌			
	Enable Auto Complete			
	Default Institution	By IP		
	Session timeout URL			
Appearance	Layout Set:	customized layout 💌		

Auto Complete - Edit View Attributes Page

- 2. Select the Enable Auto Complete check box.
- 3. Save your changes to the view.
- 4. Deploy your changes to the Front End.

Disabling the Auto Complete Service for a Search Scope

Once the Auto Complete service is enabled per view, it is enabled for all search scopes. In scopes with very limited data (for example, a course reserves scope), it may be necessary to deactivate the service per search scope if it is likely that suggestions will result in searches with no results.

To disable the Auto Complete service for a search scope:

- On the Primo Home > Ongoing Configuration Wizards > Views Wizard page, click Edit next to the view you want to configure.
- 2. Click Save & Continue.

The Search Scope List page opens.

3. Click Edit next to the search scope for which you want to disable the Auto Complete service.

The Edit Search Scope page opens.

Primo Home > Ongoing Configuration Wizards > Views Wizard		
Edit Search Scope		
Scope: volcano	Interfac	e Language: English
General Attrib	utes for Search Scopev	rolcano
Scope Name :	volcano	Search Scope Description : Volcano Island University
Display Text:	General: Volcano Island University	Enable Auto Complete: 🗹
Search Scope	Values	
	Туре	Name
-	to alteria	Rine halfhlin Cours
	Institution	Primo Institution Scope
	library	Volcano Campus Learning Center

Auto Complete - Edit Institution Page

- 4. Clear the Enable Auto Complete check box.
- 5. Save your changes to the view.
- 6. Deploy your changes to the Front End.